



**Flooring Tools, Adhesives & Accessories**  
**Supporting Professional Installers Since 1938**



**2022**



In 1938, Roy Roberts came up with an idea of how to install wall-to-wall carpet without using the traditional method of using tacks around the edges of the room. Roy Roberts, Hugh Livie and Ken Bishop each put up \$1,000 and invested in some plywood, a Sears-Roebuck table saw, a keg of shingle nails, pliers, hammers and similar essentials. And so, the story of ROBERTS and the ROBERTS carpet gripper was born.

While traveling around the country selling and training installers on how to use 'tackless carpet strip', the three partners gained tremendous knowledge about carpet installation. It gave them an opportunity to see firsthand what other materials and products might be necessary to help modernize carpet installation techniques for the whole industry. There was an obvious need for modern tools and techniques. The partners obtained national sales rights for the most modern knee-kickers and extension stretchers they could find. They then acquired manufacturing rights and made improvements under the ROBERTS label. The company held early patents on knee kickers, carpet seaming irons, loop pile carpet cutters, carpet knives, a carpet binding machine and tack strip. As they developed new tools and new ways to install flooring, they continued to educate carpet installers on newer methods of installations.

The carpet industry had also just begun to use liquid latex for carpet seaming and repair, so the newly formed company developed a new latex formula of its own and labeled it Rubber-edge, laying the groundwork for today's thriving adhesives division of Roberts Consolidated Industries, Inc.

Now, over 80 years later and with locations and product lines known throughout the world, generations of installers have grown up using ROBERTS adhesives, carpet installation tools and accessories. Worldwide, the ROBERTS name continues to be the manufacturer of choice for installation professionals who demand quality and reliability.

**Supporting Professional Installers**

**- Since 1938 -**

# CONTENTS



## CARPET TOOLS

CARPET STRETCHERS, HEAT BOND IRONS, HAND TOOLS

4



## CARPET CUTTING & JAMB SAWS

CARPET TRIMMERS, TUCKERS, SCISSORS, KNIVES & BLADES, JAMB SAWS

15



## CARPET GRIPPERS

CARPET GRIPPERS, NAILS


24



## VINYL TOOLS

CUTTERS & BLADES, HAND TOOLS, ROLLERS

27



## WOOD & LAMINATE TOOLS

FLOOR CUTTERS, INSTALL KITS, HAND TOOLS, PUTTY, PORTA-NAILS®

31



## ADHESIVES

MULTIPURPOSE, CARPET, RESILIENT, WOOD, SPECIALTY, CLEANERS

37



## TROWELS

CARPET, VINYL, WOOD

50



## UNDERLAYMENTS

LAMINATE, WOOD, LVT, VINYL, CORK

53



## TAPE

INSTALLATION TAPE, RUG GRIPPER™, UNDERLAYMENT SEAM TAPE

59



## TEAR-OUT TOOLS

HAND TOOLS, SCRAPERS & BLADES

62



## CARPET TOOLS

## Power-Lok Stretcher

The Power-Lok Stretcher Value Kit includes: one power unit, tail block with wheels, six 3 ft. extension tubes, adjustable locking tube, transfer tube and the complete interlocking wheeled stretcher carrying case and tube carrying case



The Power-Lok Stretcher is the most advanced power stretcher available.

- Power-Lok swivel head locks into 17 different “stretch/pattern holding” positions
- Unique swivel head for stretching angles or corners
- Adjustable pin penetration for different carpet thicknesses  
Low profile head with side-kicking platform makes it compatible with a knee-kicker
- Steel handle on head for better grip and repositioning
- Standard 18 in. tail block includes a non-marring wall protector and wheels for easy repositioning
- Stretch up to 38 ft. with the Value Kit and up to 23-1/2' with the standard set

The Power-Lok Stretcher is also available as a standard set

A standard 10-254 set includes: one power unit, tail block with wheels, three 3 ft. extension tubes, adjustable locking tube, transfer tube, and the single interlocking wheeled stretcher carrying case

10-254V	Power-Lok Stretcher Value Kit (1/cs)
10-254	Power-Lok Stretcher (1/cs)
10-254-50	Replacement Head for 10-254 (1/cs)

**Included with each stretcher!**  
**No. 10-250 Adjustable Locking Tube**



Adjust your stretcher poles in a flash with our Adjustable Locking Tube! Just push back on your tubes to extend, push buttons and pull back to shorten. Also sold separately.

## Additional Stretcher Tubes

Fits all standard ROBERTS® Stretchers as well as most other standard carpet stretchers

10-250	Adjustable Locking Tube (1/cs)
10-230-10	3' Steel Stretcher Tube Fits 10-254 and 10-237 Stretchers (1/cs)
10-235-10	3' Aluminum Stretcher Tube (not shown) (1/cs)
10-235-05	5' Aluminum Stretcher Tube (not shown) (1/cs)



## Junior Power Stretcher

The Junior Power Stretcher Value Kit includes: one power unit, tail block with wheels, six 3' extension tubes, adjustable locking tube, transfer tube and the complete interlocking wheeled stretcher carrying case and tube carrying case




Our most economical power stretcher is loaded with features.

- The low profile power head is easy to span with the knee kicker
- 18 in. spring-loaded tail block with wheels provides additional support
- Stretch over 38' with the Value Kit and up to 23-1/2' with the standard set

The Junior Power Stretcher is also available as a standard set.

- A standard 10-237 set includes: one power unit, tail block with wheels, three 3' extension tubes, adjustable locking tube, transfer tube, and the single interlocking wheeled stretcher carrying case

Included with each stretcher!  
No. 10-250 Adjustable  
Locking Tube



Adjust your stretcher poles in a flash with our Adjustable Locking Tube! Just push back on your tubes to extend, push buttons and pull back to shorten. Also sold separately.

10-237V	Junior Power Stretcher Value Kit (1/cs)
10-237	Junior Power Stretcher (1/cs)
10-237-50	Replacement Power Head for 10-237 (1/cs) (does not include tube, tail block or carrying cases)

## Stretcher Cases

The ROBERTS® Stretcher Case System includes a stretcher case with wheels and a tube case that hooks onto the stretcher case for easy transportation. The cases are easily split apart to equally distribute the weight when carrying to and from the jobsite. Both cases include high-density blow molded plastic walls for exceptional durability, recessed hinges and latches and comfortable molded handles.



10-230-40



10-230-3K

- Stretcher case with 4" wheels holds stretcher unit, tail block with wheels, three 3 ft. extension tubes, adjustable locking tube and transfer tube (nylon web belt with quick release buckle included)
- For use with 10-254 and 10-237 stretchers

10-230-40	Empty Stretcher Case with Wheels (1/cs)
10-230-3K	Tube Case with Three 3' Extension Tubes (1/cs)

## Locking Pattern Matching & Seam Repair Stretcher



ON/OFF knob provides locking or conventional operation



INCLUDES: Tailblade for stretching carpet off of tack strip




The unique locking action enables “hands-off” seam repair. Turn the automatic locking mechanism “ON” and the power-head locks each 1/4” of pin plate travel for easy pattern alignment. Turn the locking action “OFF” and the stretcher works in the conventional “non-locking” mode.

- Adjustable pin depths for different carpet thicknesses
- Holds up to 300 lbs. of stretch tension
- Tailblade swivel construction allows for angle stretching in any direction off of tack strip
- Solid die cast frame stands up to years of dependable service
- Includes custom molded carrying case

10-128	Locking Pattern Matching and Seam Repair Stretcher	(1/cs)
10-117-04	Powerhead Replacement Unit	(1/cs)
10-107-03	Tailblade Replacement Unit	(1/cs)

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov. See P. 65, \*Prop 65 - 1.

## Nap Grip Head (Cotton Head)



- Designed to use on low profile loop, cut pile and woven carpets

10-248	Nap Grip Head for 10-254 and 10-237 stretchers	(1/cs)
--------	--	--------

## Power Stretcher Tail



- Needle sharp point bites through carpet and pad into wood subfloor for a firm solid stretch
- Stretch even when there are no walls to brace against
- Precision made with hand-ground tempered steel
- Fits all standard ROBERTS® stretchers

10-258	Power Stretcher Tail	(1/cs)
--------	----------------------	--------

## Gel Pro 505 Knee Kicker



The Gel Pro Carpet Knee Kicker absorbs impact better than conventional kickers.

- Innovative lever design for easy pin depth adjustment
- Gel bumper softens impact to knee, reducing knee shock
- Angled bumper provides optimum driving impact
- Contoured, heavy duty "bullneck" body design
- Quick thumb release for adjusting the extension arm
- Comfort pad insert



10-505-2 Gel Pro 505 Knee Kicker (Silver in clamshell) (2/cs)  
 10-505-200 Bumper Pad Kit (Bumper, Plate, Boot, Gel Pad) (1/cs)

## Golden Touch (GT) Knee Kicker



The Golden Touch (GT) Carpet Knee Kicker provides the greatest length adjustment for repairing and or stretching loose carpet.

- Easy one button adjustments from 18-7/8" to 24" lengths
- Extra wide head for improved load distribution
- High contour neck for use over stretcher head and poles
- Center grooved head for adjusting power stretcher head
- Easy to read, easy to adjust pin depth dial

10-501 GT Knee Kicker (3/cs)  
 10-412-09 Replacement Bumper Pad (2" thick) (1/cs)  
 10-422-09 Replacement Bumper Pad (3" thick) (1/cs)



## Deluxe Knee Kicker



The Deluxe Knee Kicker is ROBERTS® most popular knee kicker and has been the “industry standard” for over 40 years.

- Trigger assembly easily adjusts the length from 17" to 21"
- Superior die cast aluminum body is lightweight and durable
- Exclusive non-slip checkered hand grip
- Foam-filled seamless bumper pad for extra comfort
- Easy to read, easy to adjust pin depth dial
- Center grooved head for adjusting power stretcher head

10-412-2	Deluxe Knee Kicker Silver (no case)	(2/cs)
10-412BKK	Deluxe Knee Kicker Black (with case)	(3/cs)
10-412-09	Replacement Bumper Pad (2" thick)	(1/cs)
10-422-09	Replacement Bumper Pad (3" thick)	(1/cs)

⚠WARNING: Cancer and Reproductive Harm- [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov). See P. 65, \*Prop 65 - 2.

## Deluxe High Profile Knee Kicker



The Deluxe High Profile Knee Kicker features the same solid construction and reliability of the 10-412, but with the added value of a number of installer-designed features.

- High contour neck for use over stretcher head and poles
- 50% thicker bumper pad for extra knee comfort
- 16% wider head for improved load distribution
- Solid, dependable trigger release adjusts from 17-1/2" to 21-1/2"
- Non-slip checkered hand grip
- Center grooved head for adjusting power stretcher head

10-422BK	Deluxe High Profile Knee Kicker	(3/cs)
10-412-09	Replacement Bumper Pad (2" thick)	(1/cs)
10-422-09	Replacement Thick Bumper Pad (3" thick)	(1/cs)

## Adjustable Knee Kicker



The Adjustable Carpet Knee Kicker is ideal kicker for your basic carpet installation.

- Great for all carpeting installations - big or small
- Double locking pins to easily adjust length from 19" to 23"
- High contour neck for use over stretcher head and poles
- Center grooved head for adjusting power stretcher head
- Easy to read, easy to adjust pin depth dial
- Durable powder coated finish

10-410	Adjustable Knee Kicker	(3/cs)
10-412-09	Replacement Bumper Pad (2" thick)	(1/cs)
10-422-09	Replacement Bumper Pad (3" thick)	(1/cs)

## Professional Electric Stapler



- Powerful, 15 amp solenoid delivers more power to drive staples deeper, 120 V
- 6-3/4" low profile head allows easy access in tight places, particularly stairs
- Heavy 14 gauge, 12' power cord offers maximum power and provides a wider range of travel without extension cords
- Hardened driver mechanism that shoots 20 gauge, 3/16" crown staples
- Quick-release bottom loading magazine for fast reloading (85 staple capacity)
- Ergonomic non-slip handle with rubber grip for maximum comfort and control
- Includes custom molded carrying case
- Accepts ROBERTS® 10-5418D, Duo-Fast® #5418-D, and other quality brand 9/16" divergent Point Staples

10-600 Professional Electric Stapler (1/cs)  
 10-5418D 9/16" Staples (5000/bx) (20/cs)

## Nail Driving Bar



- Constructed of cold forged carbon steel for an extra long life
- Features a magnetic head to hold nails in place for easy starting
- Unique design to access hard-to-reach places such as: under radiators, toe kicks, overhangs and next to glass doors when nailing down tackless strip
- 12-3/8" in length, with soft, no-slip handle

10-151 Nail Driving Bar (6/cs)

## Staple Hammer



- Perfect balance, durable stamped steel, comfortable vinyl grip, and easy back-end loading
- Accepts 3/8 in. staples
- Holds 160 staples

10-109 Staple Hammer (6/cs)  
 30-110 3/8" Chisel Point Staples 5000/bx (20/cs)  
 30-210 3/8" Divergent Point Staples 5000/bx (20/cs)

## Chisel Point Staples



- Get jam-proof efficiency with its "V" shaped points that drive easily into most wood floors

30-110 3/8" Staples (5000/bx) (20/cs)

## Divergent Point Staples



- Easily penetrate vinyl tile, linoleum, felt and wood (including hardwoods) with its 60° point
- Get added holding power when staple legs veer in opposite directions

30-210 3/8" Staples (5000/bx) (20/cs)  
 10-5418D 9/16" Staples (5000/bx) (20/cs)

## Cool Shield® Heat Bond Iron



The Cool Shield Heat Bond Iron melts 3" wide heat bond tape quickly and easily while maintaining a cooler top shield temperature. Even on the highest setting of 428°F this heat bond iron reaches a maximum heat shield temperature of only 256°F.

- Double heat shield minimizes deforming of carpet backing and face yarn
- "S" shaped heating element provides even heating and longer heat retention
- Grooved non-stick base for fast, easy clean-up
- "Comb Profile" forms ridges in adhesive for stronger carpet seams
- Streamlined, low profile design allows for easy carpet seaming
- 3-way cord guide keeps the 9-1/2' cord out of the way
- Thermostat indicator light shows when iron is heating

10-482G Cool Shield Heat Bond Iron (110 V) (3/cs)

## Deluxe Heat Bond Iron



This best selling Deluxe Heat Bond Iron is the first choice of professionals worldwide.

- Streamlined, low profile design allows for easy carpet seaming
- Even heat distribution for thorough melting
- Heat shield to prevent backings from overheating
- Non-stick coated for fast, easy clean-up
- "Comb Profile" forms ridges in adhesive for stronger seams
- 2-way pivoting cord for easier control
- Stay-cool handle and up-front thermostat make it easy to use
- Bi-color indicator light turns red to green when at desired temperature
- Approximate heat range 135°F to 425°F

10-282G-2 Deluxe Heat Bond Iron (110 V) (2/cs)

## 6" Heat Bond Iron



The extra-wide 6" Heat Bond Carpet Seaming Iron is ideal for use with wider carpet seam tapes.

- Custom designed to distribute heat evenly from front to tail
- Special contoured handle stays cool
- Grooved non-stick base for fast, easy clean-up
- Up-front thermostat control for easy heat-setting adjustments
- Low profile, tapered base plate design for joining carpet easily at the back of the iron
- 3-way cord guide keeps cord out of the way
- Approximate heat range 135°F to 425°F
- 110 V

10-286G 6" Heat Bond Iron (110 V) (3/cs)

## 4" Loop Pile Seam Roller



- Extended, angled soft grip handle for better leverage
- Specifically designed for seaming loop pile and berber carpets
- Star wheels maximize hot melt transfer into carpet back for stronger seams
- Excellent for securing carpet on tack strip

10-169 4" Loop Pile Seam Roller (3/cs)

## 5" Carpet Seam Roller



- Specially designed for loop pile carpet
- Wide head reduces dishing in seam area
- Durable and lightweight superior die cast handle
- Get stronger seams and increased hot melt transfer into carpet back with stationary roller shaft

10-100 5" Extra Wide Carpet Seam Roller (3/cs)

## 4 1/2" Deluxe Carpet Seam Roller



- Specially designed for loop pile carpet
- Professionally finishes even the most demanding carpet seams
- No-slip handle and lightweight design to minimize user fatigue
- Offset, extra wide 4-1/2" rollers to reduce seam peaking and maximize adhesive penetration for stronger, longer lasting seams

10-101 4-1/2" Deluxe Carpet Seam Roller (4/cs)

## 4" Cut Pile Seam Roller



- Extended, angled soft grip handle for better leverage
- Smooth roller forces carpet backing into seaming tape without fraying yarn ends
- Specifically designed for safe seaming of cut pile carpets, saxonomies and vinyl seams

10-170 4" Cut Pile Seam Roller (3/cs)

## 24" Steel Tool Box



- Heavy duty steel construction
- Durable full length piano style hinge
- Strong side handles and durable soft grip lid handle for easy carrying
- Vented nylon seaming plate mounted under tray acts as seaming weight
- Tray provides extra storage for staple and nail boxes
- 3 hardened steel hasps provide secure closure and accept padlocks for additional security
- 24" W x 9-3/4" H x 8-3/4" D

10-163 24" Steel Tool Box, Black (1/cs)

⚠WARNING: Cancer and Reproductive Harm-  
www.P65Warnings.ca.gov. See P. 65, \*Prop 65 - 1.



Seaming Plate



Staple Storage



Seaming Weight

## Carpet Installation Kit



### Carpet Installation Kit Includes:

- |           |                                 |
|-----------|---------------------------------|
| 10-163    | 24" Steel Tool Box              |
| 10-169    | Loop Pile Seam Roller           |
| 10-108    | Professional 2 in. Strip Cutter |
| 10-109    | Staple Hammer                   |
| 10-114    | 20 oz. Ripping Hammer           |
| 10-146GT  | GT Cushion Back Cutter          |
| 10-151    | Nail Driving Bar                |
| 10-152GT  | GT Loop Pile Cutter             |
| 10-616-2A | Conventional Carpet Trimmer     |
| 10-252    | Professional Carpet Knife       |
| 10-260    | Deluxe Grip Tool Pouch          |
| 10-303S   | Chalk Reel                      |
| 10-321    | White Chalk Refill - 8 oz.      |
| 10-412-2  | Deluxe Knee Kicker              |
| 10-503    | Base Molding Lifter             |
| 10-521    | 4" Extra Wide Stair Tool        |
| 10-522-4  | EZ Tuk Carpet Tucker            |
| 10-586-3  | 7" Duckbill Napping Shears      |
| 10-920-6  | Pro Fixed Blade Utility Knife   |
| 10-931    | Vinyl Flooring Knife            |
| 10-140    | 30' Tape Measure                |
| 10-517    | Row Finder/Separator            |
| 61613     | White Rubber Mallet             |

10-750 Carpet Installation Tool Kit (1/cs)


⚠WARNING: Cancer and Reproductive Harm-  
www.P65Warnings.ca.gov. See P. 65, \*Prop 65 - 1.

## Carpet Rake & Groomer

The Carpet Rake and Groomer is ideal for quick and easy carpet maintenance. By using a 'push pull' motion the rake releases trapped-in dirt, pet hair and debris and pulls it to the surface so that the vacuum can remove it. By using a 'rake like' motion the carpet pile is revived with a 'Like New' appearance.

- Easy and quick carpet care and maintenance
- Extra long 51" handle and 12" wide head covers large areas quickly
- Specially designed bristles reach deep into the base of carpet
- Makes vacuum tracks disappear
- Three part handle can be disassembled for easy storage

70-127-3 Carpet Rake and Groomer (3/cs)



## Heavy Cargo Dollies



- These rugged, durable movers are perfect for moving rolls of carpet or sheet goods, equipment, furniture and appliances
- Each dolly holds up to 1000 pounds
- Made from heavy industrial steel, with welded and bolted construction
- Easily extends from 24" to 33" with spring loaded lock pins
- 3" heavy-duty ball bearing non-marking polyurethane wheels

10-575 Heavy Cargo Dollies set of 2 (1/cs)

## Dual Air Glider



- Features a powerful, lightweight mechanism which utilizes hovercraft principles for easy and safe movement of commercial and industrial machinery, office equipment and household appliances without damaging floors
- 8-1/2" x 36" dual vacuum platforms
- 1.75 HP blower provides a 750 lbs. lift capacity
- Improved motor output connector
- Includes carrying case
- 2-Year Warranty

10-481 110 V Dual Air Glider (1/cs)





## CARPET CUTTING & JAMB SAWS

## Carpet Trimmers



- Quickly trims carpet neatly at the wall and under toe kicks
- Five position folding handle moves easily in hard to reach areas
- Makes vertical and horizontal adjustments
- Anti-slip rubber handle and hardened stainless steel guide
- 10-617GT includes dual layer spring steel blade clips

10-616-2A Conventional Carpet Trimmer (2/cs)  
(Includes 20 Heavy Duty Slotted Blades)

10-617GT GT Carpet Trimmer (Classic Handle) (2/cs)

## Wall Trimmer



This wall trimmer is not only good for cutting conventional carpet, it is great for cutting soft vinyl sheet goods, carpet tiles and cushion back for glue-down carpets.

- Makes cleaner cuts without marking walls
- Hooked blades can be used to cut carpet tiles quickly and easily
- Slotted blades can be used for regular carpet or vinyl sheet goods
- Snap-on anti-friction boot glides smoothly over sheet goods
- Fully adjustable for most material thicknesses
- Stainless steel construction

10-905 Multi-Purpose Wall Trimmer (3/cs)  
Uses replacement blades: 10-438

## Loop Pile Cutters



- Efficiently cuts most loop pile carpet regardless of thickness
- Unique two-blade design accommodates both left and right positions for cutting closer to the yarn edge
- "Direct contact" locking design keeps blades securely in place
- Throat opening adjusts automatically for different carpet backs
- Constructed of stainless steel for maximum durability

10-152-3 Loop Pile Cutter (3/cs)  
(Includes 15 Heavy Duty Slotted Blades)

10-152GT GT Loop Pile Cutter (Classic Handle) (6/cs)  
Uses replacement blades: 10-438

## Cushion Back Cutters



- Cuts all thicknesses of cushion back carpet and conventional carpet with adjustable blade depth
- Two blades that lock into position for close, precise cutting
- Direct-pressure blade knob holds blades tightly in place
- Constructed of stainless steel for maximum durability

10-146-3 Cushion Back Cutter (3/cs)  
(Includes 15 Heavy Duty Slotted Blades)

10-146GT GT Cushion Back Cutter (Classic Handle) (6/cs)  
Uses replacement blades: 10-438



## Universal Seam Cutter



- Single center mechanism holds both slotted and utility blades in place
- Superior double usage - use slotted blade for top cutting or trimmer blade for bottom cutting
- 50° blade angle permits cleaner, smoother precise cuts
- Quick release blade replacement feature for fast blade changes
- Extra long nose provides for better row separation
- Accepts all standard utility blades

10-154-3 Universal Seam Cutter (3/cs)  
Uses replacement blades: 10-438,10-434

## Row Finder/Separator



- Use to separate carpet rows to minimize damage to nap and loops
- Features tapered round end for cut pile and flattened end for loop pile carpets
- Slip resistant checkered grip

10-517 Row Finder Separator (6/cs)

## Pro Stair Tool



- Use to set carpet into tack strip, drive carpet into gullies and crease carpet along wall line
- Heavy duty blade easily sets carpet into stairway crevices
- Made from forged, chrome-plated steel
- 4" extra wide blade

10-521 Pro Stair Tool (3/cs)

## EZ TUK Carpet Tucker



*made in*  
**USA**

- Lightweight tucking tool will not mark or damage walls
- Use around toilets and ceramic tile without fear of breakage
- Square edge works well for tucking carpet into corners
- Curved edge is great for stairs
- 3-1/2 in. wide blade

10-522-4 EZ TUK Carpet Tucker (4/cs)

## 10" Carpet Shears



made in  
**USA**

- Precision ground cutting blades
- Superior cutting ability and durability
- Accommodates large hands comfortably with extra wide, vinyl coated cushioned handle openings
- Blade edge sharpens easily on stone
- Chrome plated with knife edges

10-123 10" Carpet Shears (6/cs)

⚠WARNING: Cancer - www.P65Warnings.ca.gov. See P. 65, \*Prop 65 - 3.

## 8" Napping Shears



made in  
**USA**

Side angle profile



- Offset handle for easy, level napping
- Cushioned, vinyl coated handles for comfort
- Precision ground cutting blades
- Chrome plated with knife edges

10-121 8" Napping Shears (6/cs)

⚠WARNING: Cancer - www.P65Warnings.ca.gov. See P. 65, \*Prop 65 - 3.

## 6" Duckbill Napping Shears



made in  
**USA**

Side angle profile



- Offset handle and special blade prevent gouging while napping
- Cushioned, vinyl coated handles for comfort
- Precision ground cutting blades
- Chrome plated with knife edges

10-585 6" Duckbill Napping Shears (6/cs)

⚠WARNING: Cancer - www.P65Warnings.ca.gov. See P. 65, \*Prop 65 - 3.

## 7" Duckbill Napping Shears



made in  
**USA**

Side angle profile



- Offset handle and special blade prevent gouging while napping
- Cushioned, vinyl coated handles for comfort
- Precision ground cutting blades
- Chrome plated with knife edges

10-586-3 7" Duckbill Napping Shears (3/cs)

⚠WARNING: Cancer - www.P65Warnings.ca.gov. See P. 65, \*Prop 65 - 3.

## Professional 2" Strip Cutter



- Long jaws cut all strip, including architectural strip
- Powerful cutting force - 8 to 1 leverage
- Rugged, forged steel construction
- Blade storage in handle

10-108 Professional 2" Strip Cutter (3/cs)  
Uses replacement blades: 10-439 (see page 21)

## Professional Carpet Knife



- Special thumbstop design provides safety and increased cutting pressure
- Easy push button for quick blade changing
- Knurled grip assures firm grip

10-252 Professional Carpet Knife (Includes 3 Blades) (6/cs)  
Uses replacement blades: 10-438

## Cut & Jam Carpet Knife



- Patented, unique dual function design; use one end to cut carpet and the other to jam carpet into gullies
- Features an easy-open knob with bail, safety thumb and blade guards
- Checkered handle for a slip resistant grip
- Rugged lightweight precision die cast aluminum
- Handle stores up to 10 additional heavy duty slotted blades

10-220 Cut and Jam Carpet Knife (Includes 3 Blades) (6/cs)  
Uses replacement blades: 10-438

## Razor Blade Knife



- Features safety guards to keep blade firmly in place
- Easy-open knob with bail to make blade changes more convenient
- Checkered handle for a slip resistant grip
- Rugged lightweight precision die cast aluminum
- Handle stores additional heavy duty slotted blades

10-215 Razor Blade Knife (Includes 3 Blades) (6/cs)  
Uses replacement blades: 10-438

## Slotted Blade Carpet Knife



- Contoured handle for precise cutting
- Finger blade guard
- Extra blade storage

10-253 Slotted Blade Carpet Knife (Includes 2 Slotted Blades)  
(12/cs) Uses replacement blades: 10-438

⚠WARNING: Cancer and Reproductive Harm- [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).  
See P. 65, \*Prop 65 - 2.

## Big Fatso Multipurpose Knife



- Offset head gives knuckle room and convenient, precise cutting angle
- Large contoured handle for comfort
- Unscrew end cap and swing open for quick and easy blade change
- Uses most standard utility and hook blades with 2 or 3 positioning slots on top
- Handle stores additional standard or heavy duty utility and hook blades

10-218F Big Fatso Multipurpose Knife (Includes 3 Blades) (12/cs)  
Uses replacement blades: 10-434, 10-440

## Pro Utility Knife



- Contoured handle allows for better grip and knife control
- Cuts carpet, vinyl, drywall and roofing materials
- Thumb wheel for quick blade change
- Accepts most utility and hook blades
- Easy access extra blade storage

10-221 Pro Utility Knife (Includes 3 Blades) (6/cs)  
Uses replacement blades: 10-434, 10-440

## Professional Fixed Blade Utility Knife



- Easy-open knob with bail to make blade changes more convenient
- Checkered handle for a slip resistant grip
- Uses standard replacement blades with 1, 2 or 3 positioning slots on top
- Handle stores additional standard or heavy duty utility blades

10-920-6 Professional Fixed Blade Utility Knife (Includes 3 Blades) (6/cs)  
Uses replacement blades: 10-434, 10-440


## Vinyl Flooring Knife



- Cuts linoleum, resilient and sheet vinyl, as well as vinyl composition tile (VCT)
- Heavy gauge, high carbon steel blade
- Makes accurate, even cuts without burrs
- Soft, comfort grip handle with hang hole
- Double edge sharp blade will provide years of perfect cuts

10-931 Vinyl Flooring Knife (12/cs)

## Heavy Duty Round-End Carpet Blades



- Designed for professional installers
- Precision ground for added sharpness & durability
- Blades fits most, if not all standard carpet knives

Blade Specifications: 2.25" long x .017" thick

10-438 100 Blade Pack - Bulk (10 packs/case) (1,000 blades)

*made in*  
**USA**

## Heavy Duty Utility Blades



- Designed for professional installers
- Precision ground for added sharpness & durability
- Blades fits most, if not all standard utility knives

Heavy Duty Blade Specifications: 2.28" long x .025" thick

10-434 100 Blade Pack - Bulk (10 packs/case) (1,000 blades)

⚠WARNING: Cancer and Reproductive Harm- [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).  
See P. 65, \*Prop 65 - 1.

*made in*  
**USA**

## Hooked Blades



Fits ROBERTS® 10-905 Multi-Purpose Wall Trimmer

Blade Specifications: 1.84" long x .025" thick

10-440 10 Blade Blister Card (10 cards/case) (100 blades)

*made in*  
**USA**

## Strip Cutter Blades



Fits ROBERTS® 10-108 Strip Cutter

Blade Specifications: 1.86" long x .45" wide x .038" thick

10-439 6 Blade Blister Card (10 cards/case) (60 blades)

## Hawk Utility Blade



- For cutting and scoring various including LVP, acrylic light panels, vinyl tile, rubber and flooring underlayment
- Tough carbon steel blade offers good dependability everyday cutting and trimming
- Fits most standard utility knives, no matter the brand

Blade Specifications: 2.3" long x .75" wide x .67mm thick

10-404 5-Pack Hawk Utility Blade (10 cards/case) (50 blades)

\* For Replacement Floor Cutter Blades, see page 34. For Replacement Scraper Blades, see page 65.

## Longneck Plus 6" Jamb Saw



\*hose not included

- 1-1/2" vacuum port for optimal dust containment
- Extended "tail" for maximum leverage against torque
- Powerful, 1100 watt industrial grade power unit, 120V ~ 60Hz, 9.6 AMPs
- Patented design enables saw to cut full inside corners in molding up to 1/2" thick
- Adjustable cutting depth guide prevents cutting into plaster or wall board when trimming base boards
- Easy access trigger for better control
- Precision height adjustment from "flush" to 1-1/16"
- Doors as thick as 1-3/4" can be undercut without removal
- Includes 6-3/16 in. 36-tooth carbide tip blade and masonry blade
- Includes custom molded carrying case

10-56	Longneck Plus 6" Jamb Saw (1/cs)
10-47-2	6-3/16" 36-Tooth Carbide Tip Saw Blade (2/cs)
10-47-6	6-3/16" 20-Tooth Carbide Tip Saw Blade (6/cs)
10-55-24	Masonry Blade (1/cs)

## Super Six 6" Jamb Saw



- Adjustable cutting depth guide prevents cutting into plaster or wall board when trimming base boards
- Powerful, 900 Watt industrial grade power unit has all ball and needle bearings, 120V ~ 60Hz, 7.5 AMPs
- Patented design enables saw to cut full inside corners in molding up to 1/2" thick
- Spiral ground gears for smooth, quiet operation
- Precision height adjustment from "flush" to 1-1/16"
- Doors as thick as 1-3/4" can be undercut without removal
- Includes 6-3/16" 36-tooth carbide tip blade
- Includes custom molded carrying case

10-46	Super Six 6" Jamb Saw (1/cs)
10-47-2	6-3/16 in. 36-Tooth Carbide Tip Saw Blade (2/cs)
10-47-6	6-3/16 in. 20-Tooth Carbide Tip Saw Blade (6/cs)

## Jamb Saw Replacement Blades

### ROBERTS



- |          |   |
|----------|---|
| 10-47-6  | 6-3/16" Carbide tipped blade provides long cutting life 20-tooth anti-snag blade resists catching on hidden nails (6/cs)  |
| 10-47-2  | 6-3/16" 36-tooth carbide tipped blade easily cuts through tough wood. Excellent for cutting door jams, baseboards and along walls (2/cs)                        |
| 10-55-24 | 6" durable masonry blade easily cuts through brick and cement block (1/cs)  |
| 10-42    | 4-1/4" Carbide tipped blade provides long cutting life 20-tooth anti-snag blade resists catching on hidden nails (6/cs)<br>For use with ROBERTS® 10-40 Jamb Saw |

## Deluxe Grip Pouch



- Holds tools firmly in place with special leather insert grips
- Professionally constructed of 100% leather and double stitching
- Slotted to fit directly on the belt
- 7-1/2" x 4" x 1"

10-260 Deluxe Grip Pouch (12/cs)

*made in*  
**USA**

## Chalk and Line Reel



- Special formula prevents caking and clotting

10-303S Chalk Reel (6/cs)  
10-321 White Chalk Refill, 8 oz. (24/cs)

## 30' Tape Measure



- 30' x 1" steel acrylic coated blade
- Rugged case with red rubber jacket
- Bright colors for "easy to find" visibility
- Strong spring return; thumb lock and steel belt clip

10-140 30' Tape Measure (12/cs)



# CARPET GRIPPERS



## Hammered Carpet Gripper Silver




made in  
**USA**

- Constructed of 100% high strength aluminum
- For high traffic areas such as entry ways and doorways where tall pins may extend through the face of the carpet
- Can be installed with any carpet, but is particularly useful with low-pile carpet
- Creates a finished edge against a hard surface
- Ideal for use with concrete subfloors

97028 Carpet Gripper Threshold Silver  
(1.45" wide x 12 feet long) (12/ per case)

## Hammered Carpet Gripper Satin Brass



made in  
**USA**

- Constructed of 100% high strength aluminum
- For high traffic areas such as entry ways and doorways where tall pins may extend through the face of the carpet
- Can be installed with any carpet, but is particularly useful with low-pile carpet
- Creates a finished edge against a hard surface
- Ideal for use with concrete subfloors

97029 Carpet Gripper Threshold Satin Brass Anodized  
(1.45" wide x 12 feet long) (12/ per case)

## Professional 2" Strip Cutter



- Long jaws cut all strip, including architectural strip
- Powerful cutting force, 8 to 1 leverage
- Rugged, forged steel construction
- Blade storage in handle

10-108 Professional 2" Strip Cutter (3/cs)  
Uses replacement blades: 10-439 (see page 21)

## 10 Gauge Concrete Nails



- A heavy 10-gauge shank nail
- For use on extremely hard or "aged" concrete where 12 gauge could bend or break

33-100	5/8" Concrete Nails	(1 lb. Bag)	(10/cs)
33-103	5/8" Concrete Nails	(5 lb. Bag)	(10/cs)
33-123	3/4" Concrete Nails	(5 lb. Bag)	(10/cs)

## 9 Gauge Fluted Masonry Nails



- A fluted nail has 20% greater surface area than a smooth shank nail to create more holding power
- The flutes absorb the pressure from the concrete allowing the concrete to grip the nail

34-123	3/4" Fluted Masonry Nails	(5 lb. Bag)	(10/cs)
--------	---------------------------	-------------	---------

## 13 Gauge Drive Screw Nails



- Oval heads are designed for "flush" fit when used to anchor carpet bar and stair nosing
- As the spiral shank is driven into the substrate it forms a screw shaped hole for better grip and hold, which prevents the nail from loosening and prevents damage to the substrate

### 13 Gauge Drive Screw Nails Unichrome

36-114	1-1/4" Drive Screw Nails Unichrome, with 3/16" Nail Head	(1 lb. Bag)	(50/cs)
--------	--	-------------	---------

### 13 Gauge Drive Screw Nails Brass

37-114	1-1/4" Drive Screw Nails Brass, with 3/16" Nail Head	(1 lb. Bag)	(50/cs)
--------	--	-------------	---------

## 12.5 Gauge Elasticel (Acoustical) Nails



- Special shank designed for anchoring tackless strip to acoustical and light aggregate concrete flooring

35-110	1-1/4" Elasticel (Acoustical) Nails	(5 lb. Bag)	(10/cs)
--------	-------------------------------------	-------------	---------



**VINYL TOOLS**

## 18" Pro Vinyl Tile Cutter



- Moveable cutting guide for consistent and accurate repetitive cutting of vinyl composition tile (VCT)
- Built-in casters for greater maneuverability and rubber feet for added stability
- Clearly marked measuring guide and 45° miter guide
- Cuts 18" tiles or 12" tiles diagonally and up to 1/8" thick
- Extended one-year warranty

10-918 18" Pro Vinyl Tile Cutter (1/cs)

## 12" Pro Vinyl Tile Cutter



- Moveable cutting guide for consistent and accurate repetitive cutting of vinyl composition tile (VCT)
- Built-in casters for greater maneuverability and rubber feet for added stability
- Clearly marked measuring guide and 45° miter guide
- Includes custom blow molded carrying case
- Cuts 12" tiles or 9 in. tiles diagonally and up to 1/8" thick
- Extended one-year warranty

10-900 12" Pro Vinyl Tile Cutter (1/cs)

## 12" Vinyl Tile Cutter



- Cuts vinyl tile up to 12" x 12" and up to 4 mm thick
- Hardened steel blades for accurate cuts
- Convenient carry handle for easy transport

10-895 12" Vinyl Tile Cutter (3/cs)

## Quik-Cut Vinyl Tile Cutter



- Cuts vinyl tile up to 12" x 12" and up to 4 mm thick
- Ball and needle bearings for long life and precise operation
- Hardened steel blades
- Die cast aluminum base

30002 Quik-Cut Vinyl Tile Cutter (3/cs)

## Heavy-Duty Flooring Rollers



- Detachable transport wheel assembly kit for easy transport, upright support, and protection of segmented rollers included
- Chrome-plated segmented rollers exert even pressure on uneven surfaces
- Inset axles won't scuff walls
- 30" removable handle for convenient storage

10-950 75 lb. Heavy-Duty Flooring Roller (1/cs)  
 10-952 100 lb. Heavy-Duty Flooring Roller (1/cs)  
 10-952-04 Replacement Transport Wheel Assembly Kit (1/cs)

⚠WARNING: Cancer and Reproductive Harm- [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov). See P. 65, \*Prop 65 - 1.

## Lightweight 35 lb. Roller



- Lightweight, easy to carry on and off the job
- Ideal for "double glue" installations
- Chrome-plated segmented rollers exert even pressure on uneven surfaces
- Inset axles won't scuff walls
- 30" removable handle for convenient storage

10-935 35 lb. Roller (1/cs)

⚠WARNING: Cancer and Reproductive Harm- [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov). See P. 65, \*Prop 65 - 1.

## Extendible Floor Roller



- Great for rolling vinyl floor covering, carpet and cove base
- Handle extends from 17" to 27"
- Segmented rollers exert even pressure on uneven surfaces
- 7-3/8" wide non-marking rollers and inset axles won't scuff walls
- Second handle for additional leverage

10-955 Extendible Floor Roller (2/cs)

⚠WARNING: Cancer and Reproductive Harm- [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov). See P. 65, \*Prop 65 - 1.

## Vinyl Seam Roller



- Use to roll seams on VCT and sheet vinyl
- Rounded outside edge
- 2" x 2" polished steel rollers mounted on 2 smooth rolling ball bearings
- Case hardened brackets resist axle wear

10-964 Vinyl Seam Roller (6/cs)

## SNOZZLE Adhesive Applicator



- Exclusive design spreads 11 rows of adhesive
- Creates a flat, well-bonded installation
- Fits all standard open end caulking guns
- Works with both 11 oz. and 30 oz. cartridges

10-981-25 SNOZZLE Adhesive Applicator (25/cs)

Canada (English/French Packaging)

10-981 SNOZZLE Adhesive Applicator (25/cs)

*made in*  
**USA**

## Topset Gouge



- Grooves the back of vinyl or rubber cove base to allow the material to be tightly wrapped around corners
- 5/32" wide blade adjusts for depth and can be sharpened

Only available in Canada

10-279 Topset Gouge (12/cs)

## Mozart Weld Rod Trimmer



- Helps prevent all damage to the floor covering, using one hand
- Unique cutting principle: the bottom of the blade hugs the floor allowing the highest points on the floor covering to determine where the wire is cut
- No sharpening needed - includes interchangeable, industrially manufactured, economical trimming blades
- Includes swivelling MOZART spacer claw, eliminating need for guide plate

Only available in Canada

10-1600 Mozart Weld Rod Trimmer (1/cs)

10-8678 Mozart Trimmer Blades (5-pack blister card) (10/cs)

10-8679 Mozart Weld Rod spacer claw 0.5 mm  
(1 guide on blister card) (10/cs)

10-8700 Mozart Weld Rod spacer claw 0.7 mm  
(1 guide on blister card) (10/cs)

10-041 Fixing Attachments (Spares, 1 screw with 3 spring washers)  
(10/cs)



## WOOD & LAMINATE TOOLS

## 25" Multi-Floor Cutter



- Ideal for carpet tile, laminate / engineered wood flooring, vinyl flooring / siding, VCT tile, PVC and more
- Cuts carpet tile, wood planks and flooring up to 25" wide, 17" diagonal and 16 mm thick
- Extendible handle provides extra leverage for more cutting power with less effort
- Cutting guide swivels for angle cuts and is adjustable to maintain perfect 90° cuts
- Replaceable, resharpenable 4 mm thick tungsten blade

10-95      25" Multi-Floor Cutter (1/cs)  
 10-468     25" Tungsten Carbide Rep. Blade (1/cs)  
 Also fits Item 10-68

## 18" Multi-Floor Cutter



- Ideal for LVT flooring, laminate / engineered wood flooring, vinyl flooring, VCT tile, MDF baseboard
- Cuts wood planks and flooring up to 18" wide, 12.5" diagonal and 16 mm thick
- Extruded aluminum base with solid plastic surface as a comfortable working area
- Long handle provides extra leverage for more cutting power with less effort
- Replaceable tungsten-steel blade provides a long-lasting working life and sharp and clean cutting edge

10-99      18" Multi-Floor Cutter (1/cs)  
 10-990     18" Tungsten Carbide Rep. Blade (1/cs)  
 Also fits Item 10-66

## 13" Multi-Floor Cutter



- Ideal for LVT flooring, laminate / engineered wood flooring, vinyl flooring / siding, VCT tile, MDF baseboard and more
- Cuts wood planks and flooring up to 13" wide, 8.5" diagonal and 16 mm thick
- Extruded aluminum base with solid plastic surface as a comfortable working area
- Long handle provides extra leverage for more cutting power with less effort
- Replaceable tungsten-steel blade provides a long-lasting working life and sharp and clean cutting edge

10-94      13" Multi-Floor Cutter (1/cs)  
 10-940     13" Tungsten Carbide Rep. Blade (1/cs)  
 Also fits Item 10-64



### 9" Multi-Floor Cutter



- Ideal for LVT flooring, laminate / engineered wood flooring, vinyl flooring, VCT tile, MDF baseboard and more
- Cuts carpet tile, wood planks and flooring up to 9" wide, 5.5" diagonal and 5/8" thick
- Extruded aluminum base with solid plastic surface as a comfortable working area
- Long handle provides extra leverage for more cutting power with less effort
- Replaceable tungsten-steel blade provides a long-lasting working life and sharp and clean cutting edge

10-91 9" Multi-Floor Cutter (1/cs)  
 10-910 9" Tungsten Carbide Rep. Blade (1/cs)

### 13" Multi-Floor Cutter



- Ideal for vinyl plank, vinyl wood, laminate flooring and engineered wood
- Extendible handle provides extra leverage for more cutting power with less effort
- Table miter gauge for angled cuts 0° - 45°
- Replaceable, resharpenable blade
- Cuts up to 13" wide and 12 mm thick material

10-63 13" Multi-Floor Cutter (1/cs)  
 10-463 13" Tungsten Carbide Replacement Blade (1/cs)

### 9" Flooring Cutter



- Ideal for carpet tile, vinyl flooring, LVT / VCT tile, and laminate / engineered wood flooring
- Heavy duty steel "T" base design for maximum stability
- Extra long handle for better cutting leverage
- Long lasting 9", resharpenable 4 mm tungsten blade
- Versatile angle guide for 45° cuts
- Sturdy, positionable "V" support keeps planks level while cutting

10-60 9" Flooring Cutter (1/cs)  
 10-460 9" Tungsten Carbide Replacement Blade (1/cs)

Plank Width	Max Cutting Thickness
5 1/2"	up to 16 mm thick
7"	up to 12 mm thick
8 1/2"	up to 9.5 mm thick

⚠WARNING: Cancer and Reproductive Harm- www.P65Warnings.ca.gov. See P. 65, \*Prop 65 - 4.

## 8" Laminate Cutter



- Cuts laminate up to 8" wide and 10 mm thick
- Heavy duty steel frame for maximum stability
- Positionable "V" support keeps planks level while cutting

10-35 8" Laminate Cutter (1/cs)

## Replacement Flooring Cutter Blades



High quality 4 mm Tungsten Carbide replacement blades:

- 10-468 25" Replacement Blade for 10-68 and 10-95 (1/cs)
- 10-910 9" Replacement Blade for 10-91 (1/cs)
- 10-940 13" Replacement Blade for 10-94 and 10-64 (1/cs)
- 10-990 18" Replacement Blade for 10-94 and 10-64 (1/cs)
- 10-460 9" Replacement Blade for 10-60 (1/cs)
- 10-463 13" Replacement Blade for 10-63 (1/cs)

## Universal Repair Kit



- Quickly repairs scratches, cracks and other damage
- For use with wood floors, vinyl floors and counters, wood cabinets, moldings and furniture
- 5 colors to custom mix and create unlimited shades to match any project

10-33 Universal Repair Kit (6/cs)

## Wood, Laminate & Vinyl Putty



- Fills gaps, nicks and scratches on flooring
- Acrylic based putty is easy to use and fast drying
- Can be sanded, painted or stained
- 6 color choices to match a wide variety of flooring
- 3 oz. tubes

- PC7725 Brown Repair Putty (6/cs)
- PC7726 Light Repair Putty (6/cs)
- PC7728 Gray Repair Putty (6/cs)
- PC7730 Tan Repair Putty (6/cs)
- PC7732 Dark Brown Repair Putty (6/cs)
- PC7733 Light Gray Repair Putty (6/cs)

\* For Replacement Knife Blades, see page 21. For Replacement Scraper Blades, see page 65.

## Pro Flooring Installation Kit



- For floating or glue-down vinyl, laminate or hardwood flooring installations
- Kit Contains: Dual Expansion Joint Spacer, Universal Tapping Block, Wide Face Pull Bar, Double Faced Mallet

10-43 Pro Flooring Installation Kit (contains 30 Expansion spacers) (6/cs)

## Flooring Installation Kit



- Used to install all brands of tongue and groove flooring
- Use with glue down and floating floor applications
- Kit contains: Tapping Block, Pull Bar and Wedge Spacers

10-26 Flooring Installation Kit (contains 30 wedge spacers) (10/cs)  
 10-28 Flooring Installation Kit (contains 50 wedges spacers) (6/cs)


## Dual Expansion Joint Spacers



- Forms 1/4" and 1/2" expansion joints and creates 1" thresholds)
- For floating or glued vinyl, laminate or hardwood flooring installations
- Self-bracing to remain upright throughout installation

10-36 Dual Expansion Joint Spacers (30 spacers/bag) (8/cs)


## Laminate Wedge Spacers



- Prevents flooring from moving during installation
- Used to create a perimeter expansion gap when installing laminate and other floating floors.

10-27 Laminate Wedge Spacers Only (30 wedges/bag) (6/cs)

## Universal Tapping Block



Combination Edge Design

- Unique combination edge design for use with most types of flooring
- Dual purpose edges specifically designed for resilient vinyl tile, plank flooring tongue and groove floors, add click-lock floors

10-25 Universal Tapping Block (8/cs)

## Tapping Block



*made in*  
**USA**

- Used to install all brands of tongue and groove flooring
- High density polypropylene base provides extended product life
- 20" profile equally distributes maximum tapping force
- Comfortable large grip handle

10-17-8 Tapping Block (8/cs)

## D-Handle Tapping Block



- Extra long length and reversible design
- Works with laminate, engineered wood, and vinyl installs.
- Offset handle reduces risk of hitting hand

10-49 D-Handle Tapping Block (8/cs)

## Pro Pull Bar



- Used for floating floor and glue down installations of all brands of tongue and groove flooring
- 16-1/4" long; premium steel construction
- Angled profile allows planks to be tapped together in tight areas and at walls
- Soft felt backing protects floors from scratches during installation

10-18-8 Pro Pull Bar (8/cs)



**ADHESIVES**

# ADHESIVE SOLUTIONS



## ROBERTS® Moisture Control Adhesives

Enhanced, superior-grade adhesives made to withstand up to 10 lbs. moisture vapor emission rates (MVER) and up to 90% relative humidity (RH), over newly poured concrete with declining values. This improvement simplifies the moisture mitigation process:

**SAVE TIME. SAVE STEPS. SAVE MONEY.**



UP TO 8 LBS.



UP TO 10 LBS.



UP TO 12 LBS.

**ROBERTS takes its environmental responsibilities seriously and actively participates with governing agencies and organizations to establish the highest standards for environmentally conscientious products. ROBERTS continues to minimize the environmental impact of our products by ongoing improvement of product technologies, manufacturing and distribution methods.**



## GoldGuard® Antimicrobial Technology

The ROBERTS two-tier antimicrobial protection system for both the wet and dry state inhibits the growth of mold, mildew and odor causing bacteria.



## CRI Green Label +Plus®

These adhesives have been rigorously tested and meet the most stringent criteria for low chemical emissions and are among the lowest emitting VOC products in the market.



## LEED® v4 Qualified Adhesives

Many of our adhesives contribute one or more points in the LEED rating system. The U.S. Green Building Council's LEED Green Building Program is the preeminent program for the design, construction, maintenance and operations of high-performance green buildings. Learn more at [usgbc.org/LEED](http://usgbc.org/LEED).



## ROBERTS Enviro Friendly

The Green "e" Logo on a product, indicates an environmentally conscious product manufactured by a company that is committed to protect and sustain our environment.




# Multipurpose Adhesives

## 3300 Multipurpose Adhesive

- MOISTURE CONTROL – Up to 8 lbs. MVFR / 85% RH
- NFPA Class A / UBC Class 1 Fire Ratings
- Aggressive grab for reduced bubbling and curling
- Excellent rebond properties
- Ideal for direct and double bond installations
- Traffic - Heavy commercial



### TROWELS



### AVAILABLE SIZES

Item No.	Unit Size	Pkg. Qty.
3300-4	4 Gallon	1



ROBERTS 3300 is a superior performing, high solids multipurpose adhesive formulated for the installation of hard-to-bond commercial carpet. Plus most types of felt-backed, fiber-backed and paper-backed resilient floor coverings. VOC: < 1 g/L.


**Open Time:** Up to 30 min. **Working Time:** Up to 60 min.



## 3085 Multipurpose Adhesive

- NFPA Class A / UBC Class 1 Fire Ratings
- Great adjustability time with a strong bond when cured
- Excellent for pattern carpets
- Traffic - Heavy residential / Moderate commercial

### TROWELS



### AVAILABLE SIZES

Item No.	Unit Size	Pkg. Qty.
3085-4	4 Gallon	1
3085-1	1 Gallon	4
3085-0	1 Quart	6



ROBERTS 3085 is a high performance commercial-grade adhesive developed for the direct glue installation of most commercial carpets. It offers great adjustability time and once dry, a very strong bond to hold pattern carpets in place. VOC: < 1 g/L.


**Open Time:** Up to 40 min. **Working Time:** Up to 70 min.



## 3000 Multipurpose Adhesive

- NFPA Class A / UBC Class 1 Fire Ratings
- Optimal open time for positioning for felt-backed sheet vinyl
- Exhibits good tack for most types of carpet
- Traffic - Moderate residential / Light commercial

### TROWELS



### AVAILABLE SIZES

Item No.	Unit Size	Pkg. Qty.
3000-4	4 Gallon	1
3000-1	1 Gallon	4



ROBERTS 3000 is a contract-grade adhesive formulated for the installation of most types of commercial carpet and felt-backed sheet vinyl. Formulated with a longer open time for optimal positioning of felt-backed vinyl flooring, plus develops tack for the installation of rigid-backed carpets. VOC: < 1 g/L.

**Open Time:** Up to 60 min. **Working Time:** Up to 90 min.





# Carpet Adhesives

## 3095 Carpet Adhesive

- MOISTURE CONTROL – Up to 10 lbs. MVER / 90% RH
- High tack and fast grab
- Direct and double bond installations
- Traffic - Heavy commercial



ROBERTS 3095 is a commercial-grade carpet adhesive developed for the most demanding carpet installations, including broadloom carpet. ROBERTS 3095 is an excellent adhesive for direct or double bond/stick installation methods. VOC: < 1 g/L.

**Open Time:** Up to 20 min. **Working Time:** Up to 40 min.



### AVAILABLE SIZES

Item No.	Unit Size	Pkg. Qty.
3095-4	4 Gallon	1
3095-1	1 Gallon	4

## 6280 Pressure Sensitive Adhesive

- Permanent or releasable installations
- Good plasticizer migration resistance
- Works with a variety of flooring types
- Traffic - Heavy residential / Moderate commercial

ROBERTS 6280 is an acrylic pressure sensitive adhesive with good plasticizer migration resistance. It may be used as a releasable/repositionable adhesive or as a permanent installation, if flooring is installed while adhesive is still wet. VOC: < 1 g/L.

### PERMANENT (Wet-set Method)

**Open Time:** Up to 20 min. **Working Time:** Up to 60 min.

### RELEASABLE (Tack-set Method)

**Open Time:** Up to 60 min. **Working Time:** Up to 24 hours



### TROWELS



### AVAILABLE SIZES

Item No.	Unit Size	Pkg. Qty.
R6280-4	4 Gallon	1



## 6700 Indoor/Outdoor Carpet Adhesive

- Solvent-free, non-flammable, low VOC
- Excellent moisture resistance when cured
- Ideal for decks, sunrooms and basements

ROBERTS 6700 is a solvent-free adhesive designed for the exterior or interior installation of indoor/outdoor carpet. This adhesive is ideal for interior patios or sunrooms, as well as basements. VOC: < 1 g/L.

**Open Time:** Up to 30 min. **Working Time:** Up to 60 min.



### TROWELS



### AVAILABLE SIZES

Item No.	Unit Size	Pkg. Qty.
6700-4	4 Gallon	1
6700-1	1 Gallon	4
6700-0	1 Quart	6





## 4002 Latex Carpet Pad Adhesive

- Prevents pad movement for trouble-free installations
- Permanent bond to porous and non-porous substrates
- Fast grabbing and quick drying

ROBERTS 4002 is a solvent-free, latex-based, enviro-friendly carpet pad adhesive, developed to quickly bond carpet pads to subfloors in stretch-in carpet installations. It provides a permanent bond to porous and non-porous substrates. VOC: < 1 g/L.

**Coverage:** Up to 700 lineal feet per gallon, depending on application method

**Open Time:** Up to 15 min. **Working Time:** Up to 45 min.



### AVAILABLE SIZES

Item No.	Unit Size	Pkg. Qty.
4002-1	1 Gallon	4

## 8015 Universal Carpet Seam Sealer

- Fast drying, solvent-free formula
- UV tracers for detection with UV light sources
- Suitable for all types of carpet, including vinyl-backed carpets
- Can be used on both direct- and double-bond applications as a seam adhesive

ROBERTS 8015 is a solvent-free universal carpet sealer developed for seaming most types of carpets to include vinyl-backed and to prevent edge raveling. May also be used to repair bubbles in existing installations. VOC: < 1 g/L.

**Coverage:** Up to 660 lineal feet per quart **Open Time:** Up to 10 min.



### AVAILABLE SIZES

Item No.	Unit Size	Pkg. Qty.
8015-0	1 Quart	6
8015-A	8 Ounces	12

## 8502 Latex Carpet Seam Sealer

- Binds/seals carpet edges to prevent raveling
- UV tracers for easy detection
- Use to apply new backings to area rugs
- Provides enhanced slip resistance

ROBERTS 8502 is a natural latex adhesive recommended for seam sealing carpets, sealing raw edges, binding, strengthening worn backings and applying new backings on area rugs. ROBERTS 8502 may also increase slip resistance on mats or rugs and contains a UV tracer for easy detection. VOC: < 1 g/L.

**Coverage:** Up to 725 lineal feet per quart **Open Time:** Up to 10 min.



### AVAILABLE SIZES

Item No.	Unit Size	Pkg. Qty.
8502-0	1 Quart	12

## 1000 Seam Adhesive Dispenser

- Designed to apply seam sealer to the seams of carpet and vinyl flooring
- Use with the "stepped" applicator tip for best results
- Holds up to 8 ounces

### AVAILABLE SIZES

Item No.	Unit Size	Pkg. Qty.
1000-8	Holds 8 Ounces	12





# Resilient Adhesives

## 7399 UNIVERSAL PLUS Resilient Flooring & Modular Carpet Tile Adhesive

- Moisture Control Adhesive – Up to 12 lbs. MVER (ASTM F1869) / 99% RH
- High bond strength with extreme water resistance
- Excellent resistance to plasticizer migration



### TROWELS

1/16" x 1/16" x 1/16"

1/8" x 1/8" x 1/16"

1/16" x 1/32" x 1/32"

Medium Nap Roller

ROBERTS 7399 UNIVERSAL PLUS Resilient Flooring & Modular Carpet Tile Adhesive offers tremendous bond strength, unparalleled moisture and plasticizer migration resistance for a wide range of flooring coverings. Versatile application methods allow for immediate light traffic and double-bond applications. ROBERTS 7399 UNIVERSAL PLUS can be applied as a wet-set or pressure sensitive adhesive. VOC: <1g/L

#### PERMANENT (Wet-Set Method)

Open Time: Up to 20 min. Working Time: Up to 40 min.

#### RELEASABLE (Tack-Set Method)

Open Time: Up to 60 min. Working Time: Up to 12 hours



### AVAILABLE SIZES

Item No.	Unit Size	Pkg. Qty.
7399-4	4 Gallon	1
7399-1	1 Gallon	4

## 7350 UNIVERSAL Resilient Flooring & Vinyl-Backed Carpet Tile Adhesive

- Moisture Control Adhesive – Up to 10 lbs. MVER) / 90% RH
- Ideal for LVT, LVP, WPC and acoustical underlayments
- Offers either releasable or permanent-bond application method

### TROWELS

1/16" x 1/16" x 1/16"

1/16" x 1/16" x 3/32"

1/16" x 1/32" x 1/32"

Medium Nap Roller

ROBERTS® 7350 UNIVERSAL is a maximum performance, pressure-sensitive formula specifically designed for installing large-format luxury vinyl tiles and planks as well as most types of resilient floor coverings. VOC: 11 g/L.

#### PERMANENT (Wet-Set Method)

Open Time: Up to 20 min. Working Time: Up to 40 min.

#### RELEASABLE (Tack-Set Method)

Open Time: Up to 60 min. Working Time: Up to 8 hours



### AVAILABLE SIZES

Item No.	Unit Size	Pkg. Qty.
7350-4	4 Gallon	1
7350-1	1 Gallon	4
7350-0	1 Quart	6

## 7500 Vinyl Seam Sealer

- Designed to economically seal seams in sheet flooring
- Develops a durable bond and can be walked on within 2 hours
- Delivers a clean, continuous seam; reducing dirt collection
- Easy installation and easy clean-up

ROBERTS® 7500 Vinyl Seam Sealer is a strong and durable adhesive designed to seal seams in both residential and commercial vinyl sheet flooring projects. VOC: 23 g/L.

**Coverage:** Up to 144 lineal feet per 8 ounces

**Working Time:** Up to 15 min.

### AVAILABLE SIZES

Item No.	Unit Size	Pkg. Qty.
7500-8	8 Ounces	6



## 2310 RESILIENT Fiberglass-Backed Sheet Vinyl Adhesive

- Ideal for fiberglass-backed sheet vinyl and luxury vinyl tile
- Permanent or releasable installations
- Pressure sensitive; remains tacky
- Traffic - Residential / Light Commercial

### TROWELS



### AVAILABLE SIZES

Item No.	Unit Size	Pkg. Qty.
2310-4	4 Gallon	1
2310-1	1 Gallon	4

ROBERTS® 2310 RESILIENT Fiberglass-Backed Sheet Vinyl Adhesive is formulated with the desired tack and flexible working time to install fiberglass sheet vinyl, small format luxury vinyl tile (up to 12" x 12") and modular carpet tiles in residential-to-light commercial applications. VOC: <1 g/L.

**PERMANENT (Wet-Set Method)**

**Open Time:** Up to 25 min. **Working Time:** Up to 45 min.

**RELEASABLE (Tack-Set Method)**

**Open Time:** Up to 60 min. **Working Time:** Up to 6 hours



## 2350 HARD-SET Resilient Flooring Adhesive

- **MOISTURE CONTROL** – Up to 8 lbs. MVER / 85% RH
- Tenacious up front tack; cures to permanent hard-set bond
- Resists indentations from heavy rolling loads
- Excellent trowelability and flexibility for multiple flooring types
- Traffic - Heavy commercial



### TROWELS



### AVAILABLE SIZES

Item No.	Unit Size	Pkg. Qty.
2350-4	4 Gallon	1

ROBERTS 2350 HARD-SET is an exceptional performing acrylic formula, specifically designed to offer tenacious up-front pressure sensitive performance and cures to a permanent hard-setting bond. Excellent for use on installations requiring resistance to indentations from heavy point and rolling loads. VOC: <1 g/L.

**Open Time:** Up to 15 min. **Working Time:** Up to 60 min.



## 2001 Felt-Backed Sheet Vinyl Adhesive

- Developed specifically for felt-backed sheet vinyl
- Optimal working time for positioning
- Traffic - Residential / Moderate commercial

### TROWELS

1/16" x 1/16" x 3/32"

1/16" x 1/16" x 1/16"

ROBERTS 2001 is a superior, commercial-grade, felt-backed sheet vinyl adhesive. This adhesive was developed with the optimum open time and working time for the positioning of felt-backed sheet vinyl flooring. VOC: < 1 g/L.

**Open Time:** Up to 25 min. **Working Time:** Up to 45 min.



### AVAILABLE SIZES

Item No.	Unit Size	Pkg. Qty.
2001-4	4 Gallon	1
2001-1	1 Gallon	4

## 2057 VCT-EZ Vinyl Composition Tile Adhesive

- MOISTURE CONTROL – Up to 8 lbs. MVER / 85% RH
- Dries clear for visible chalk lines
- Good residual tack
- Extended working time
- Traffic - Heavy residential / Moderate commercial



### TROWELS

1/16" x 1/16" x 1/16"

1/16" x 1/16" x 3/32"

1/16" x 1/32" x 1/32"

ROBERTS 2057 VCT-EZ is a translucent drying, thin-spread adhesive with aggressive tack; specifically designed for the installation of vinyl composition tile (VCT) in residential-to-light commercial environments. VOC: < 1 g/L.

**Open Time:** Up to 60 min. **Working Time:** 8-12 hrs.



### AVAILABLE SIZES

Item No.	Unit Size	Pkg. Qty.
2057-4	4 Gallon	1
2057-1	1 Gallon	4
2057-0	1 Quart	6

## 7200 BASE BOND Wall Base Adhesives

- Excellent holding power and great wet suction
- Fast set-up and non-staining formula
- Strong initial grab for holding heavy rubber wall base
- Outstanding plasticizer migration resistance

### TROWELS

1/8" x 1/8" x 1/8"

3/16" x 5/32" V

Snozzle Applicator


ROBERTS® 7200 BASE BOND is a superior-grade, solvent-free adhesive specifically designed for the interior installation of vinyl, rubber and carpet wall base. The tenacious wet-suction formula makes it ideal for use over porous wall surfaces such as gypsum drywall, brick, concrete block, wood, properly cured plaster and concrete. VOC < 1 g/L.

**Open Time:** Up to 10 min. **Working Time:** Up to 30 min.



### AVAILABLE SIZES

Item No.	Unit Size	Pkg. Qty.
7200-4	4 Gallon	1
7200-1	1 Gallon	4
7200-30C	30 Ounces	12
7200-11C	11 Ounces	12



# Wood Adhesives

## 1650 MAX COMPLETE-EZ™ Hybrid Polyurethane Wood Flooring Adhesive


- Advanced Hybrid Polymer Technology provides superior product formulation
- Easily cleans off prefinished floors before and after cure
- Meets local IIC and STC sound reduction codes
- Bridges non-structural cracks in concrete
- Unlimited subfloor moisture vapor protection

ROBERTS® 1650 MAXCOMPLETE-EZ™ is a super strong, all-in-one adhesive formulated to bond engineered wood, solid wood and bamboo flooring. This ZERO VOC, formula is a moisture vapor barrier (providing unlimited protection), crack suppressant (helping to prevent damage to wood as it expands and contracts), and a sound reducer

**Open Time:** Up to 15 min. **Working Time:** Up to 60 min.

**⚠WARNING:** Cancer, Birth Defects and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov). See P. 65, \*Prop 65 - 6.

### TROWELS



### AVAILABLE SIZES

Item No.	Unit Size	Pkg. Qty.
1650-2	2 Gallon	1

### Sounds Ratings

- STC 62 (ASTM E-90)
- IIC 67 (ASTM E-492)

## 1550 MAX COMPLETE-EZ™ Polyurethane Wood Flooring Adhesive


- Creates sound reduction layer.
- Bridges non-structural cracks in concrete—up to 1/8"
- Unlimited subfloor moisture vapor protection
- Highly elastomeric to move with the expansion / contraction of wood.

ROBERTS® 1550 MAXCOMPLETE™ is formulated for full-surface bonding of engineered, solid wood and bamboo flooring. This offers permanent elastomeric performance, moisture vapor protection, crack suppression and sound-reduction properties. 53 g/L VOC.

**Open Time:** Up to 60 min. **Working Time:** Up to 60 min.

**⚠WARNING:** Cancer, Birth Defects and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov). See P. 65, \*Prop 65 - 6.

### TROWELS



### AVAILABLE SIZES

Item No.	Unit Size	Pkg. Qty.
1550-4	4 Gallon	1

### Sounds Ratings

- STC 62 (ASTM E-90)
- IIC 21 (ASTM 2179)

## 1530 MAX GRAB™ Polyurethane Wood Flooring Adhesive

- Permanent, tenacious bond with high elongation properties
- Highly elastomeric to move with the expansion / contraction of wood
- Low odor, cured adhesive is unaffected by moisture
- Fast curing and excellent workability
- Suitable for in-floor radiant heat installation

ROBERTS® 1530 MAXGRAB™ is formulated to develop a tenacious, highly elastomeric bond that moves with the normal expansion and contraction of wood flooring. This premium adhesive is ideal for all glue-down applications of wood flooring (solid, engineered, parquet and bamboo). 53 g/L VOC

**Open Time:** Up to 60 min. **Working Time:** Up to 60 min.

**⚠WARNING:** Cancer, Birth Defects and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov). See P. 65, \*Prop 65 - 6.

### TROWELS



### AVAILABLE SIZES

Item No.	Unit Size	Pkg. Qty.
1530-4	4 Gallon	1


## 1407 ENGINEERED Advanced Acrylic Wood Flooring Adhesive

- For engineered wood floors up to 5' wide and ½ inch thick
- Easy to trowel; great green grab; strong durable bond
- Great for cork underlayment

ROBERTS 1407 ENGINEERED is an advanced acrylic, easy to trowel adhesive, specifically designed for the installation of engineered and parquet wood flooring. Enviro-friendly, low VOC (2 g/L) and solvent-free, ROBERTS 1407 ENGINEERED offers substantial early grab and bond performance

**Open Time:** Up to 20 min. **Working Time:** Up to 30 min.

### TROWELS



### AVAILABLE SIZES

Item No.	Unit Size	Pkg. Qty.
1407-4	4 Gallon	1
1407-1	1 Gallon	4
1407-30C	30 Ounces	12



## 1406 Tongue & Groove Adhesive

- Exceptional bond strength and fast drying; for easy visual clean up
- Meets the specifications of ANSI/HPVA Type II / D3
- Enviro-Friendly – solvent-free and LEED® compliant; VOC < 1 g/L, SCAQMD Rule 1168

ROBERTS® 1406 TONGUE & GROOVE FLOORING ADHESIVE is a high-strength PVA formula specifically designed for floating applications of laminate and wood flooring that require a tongue and groove adhesive. Packaged with specialized applicator tip for precise placement, this premium, fast-drying adhesive offers exceptional bond strength and moisture resistance. VOC: < 1 g/L.

**Coverage:** Up to 400 lineal feet per pint. **Assembly Time:** Within 5 min. **Drying Time:** 12-24 hrs.



### AVAILABLE SIZES

Item No.	Unit Size	Pkg. Qty.
1406-P	1 Pint	12

## 10-33 Universal Putty Repair Kit

- Quickly repair scratches, cracks and other damage on wood floors, vinyl floors and counters, wood cabinets, moldings and furniture
- Easy to sand, accepts top coat finishes and stainable
- Five (5) colors to custom mix and create unlimited shades to match any project
- List of color formulas available at [www.robertsconsolidated.com](http://www.robertsconsolidated.com)

*Shipped in a master pack of six kits with clip strip for easy display*



## Wood, Laminate & Vinyl Putty

- Fills gaps, nicks and scratches on flooring
- Acrylic based putty is easy to use and fast drying
- Can be sanded, painted or stained
- Six (6) color choices to match a wide variety of flooring

### AVAILABLE COLORS/SIZES

Item No.	Color	Unit Size	Pkg. Qty.
PC7725	Brown	3 oz	6
PC7726	Light	3 oz	6
PC7728	Gray	3 oz	6
PC7730	Tan	3 oz	6
PC7732	Dark Brown	3 oz	6
PC7733	Light Gray	3 oz	6





# Specialty Adhesives

## 8600 NOSE BOND™ Stair Nose Adhesive

### AVAILABLE SIZES

Item No.	Unit Size	Pkg. Qty.
8600-10C	10 Ounces	12

- Ideal for wood, laminate and rigid PVC stair nosing
- Can also be used for wood moldings, wood trim installs and repairs
- Residential to light commercial traffic
- Enviro-Friendly—solvent-FREE, and LEED compliant; VOC > 2 g/L,
- SCAQMD Rule 1168
- GoldGuard® antimicrobial product protection

ROBERTS 8600 NOSE BOND™ is a low VOC (2 g/L), advanced acrylic adhesive specifically designed for interior stair nose installation on properly prepared wood subfloors. Use with wood, laminate and rigid PVC stair nose used with vinyl floors.  
**Open Time:** Up to 20 min.  
**Working Time:** Up to 30 min.



## 8200 QUICKBOND Spray Adhesive For Carpet Pads & More!

### AVAILABLE SIZES

Item No.	Unit Size	Pkg. Qty.
8200-12	12 Ounces	12

- Tacks quickly with a web spray pattern
- Permanent or repositionable bond
- VOC compliant and meets OTC specifications
- Does not contain chlorofluorocarbons (CFCs), ozone depleting chemicals, or methylene chloride
- Reduces install time
- Quick installation of carpet pads, cork wall tiles and much, much more!

ROBERTS 8200 is a fast tacking aerosol construction adhesive with the versatility to be used on a wide array of substrates. ROBERTS 8200 is formulated to bond to paper, cardboard, fabric, leather, foil, fiberglass to metal, drywall, masonry, wood and a variety of other substrates.  
**VOC:** 89 g/L. **EXTREMELY FLAMMABLE**  
**NOT FOR SALE IN CALIFORNIA**

**Coverage:** Up to 100 ft<sup>2</sup> per 12 ounce can



## 1331 Multipurpose Primer

### AVAILABLE SIZES

Item No.	Unit Size	Pkg. Qty.
1331-1	1 Gallon	4

- Multipurpose - one primer for porous and non-porous substrates
- Improves adhesion on porous substrates, plus peel and stick tiles and membranes
- Bonds to a variety of substrates, including gypsum, OSB, metal
- Easy to apply with brush, roller or spray

ROBERTS 1331 is a high performing acrylic latex primer designed to seal porous surfaces, while enhancing and improving the bond performance of adhesives and peel and stick tiles and membranes. ROBERTS 1331 was designed to go over a variety of substrates, including cementitious, gypsum underlayments, adhesive residue, exterior decks, and well bonded epoxy coating. VOC: < 1 g/L.

**Coverage:** Up to 400 ft<sup>2</sup> per gallon (over porous substrates)


**Drying Time:** 30-60 min; varies with temperature and humidity



## 5900 Ceramic Tile Adhesive

- Premixed and ready-to-use
- Type I Mastic for floors and walls
- Meets ANSI A136.1 Type I and II specifications
- Spreads easily, dries fast, simple cleanup

### TROWELS



ROBERTS 5900 Ceramic Tile Adhesive is a high performance, ready-to-use, Type I Mastic for installing ceramic, porcelain, natural stone, quarry and mosaic tile on floors and walls. It may be used for countertop, backsplash and shower wall installations, too. It spreads effortlessly, sets quickly and is easy to clean up. VOC: 1 g/L

⚠️WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov. See P. 65, \*Prop 65 - 1.

**Open Time:** 20-35 min.

**Working Time:** 20-35 min.

**Drying Time:** 24 hrs.

### AVAILABLE SIZES


Item No.	Unit Size	Pkg. Qty.
5900-3	3.5 Gallon	1
5900-1	1 Gallon	4
5900-0	1 Quart	6



## 7250 Cork Underlayment Adhesive

- Strong initial grab and good tack
- Resists mold and mildew with GoldGuard® protection
- Extended working time for optimal placement/positioning
- NFPA Class A/UBC Class 1 Fire Ratings

### TROWELS



ROBERTS 7250 is recommended for the installation of acoustical cork underlayment rolls or sheets (underlayment quality). It provides a strong initial grab and good tack. VOC: < 1 g/L.

**Open Time:** Up to 60 min.

**Working Time:** Up to 90 min.



### AVAILABLE SIZES

Item No.	Unit Size	Pkg. Qty.
7250-4	4 Gallon	1
7250-1	1 Gallon	4



## 1030 Latex Contact Cement

- High strength, high coverage
- Heat and water resistant bond

ROBERTS 1030 is a solvent-free, brush-grade latex-based contact cement. It may be used to bond a wide variety of surfaces and offers a high strength, heat resistant bond. Finished assemblies can be used immediately. VOC: < 1 g/L.

**Coverage:** Approximately 900 ft<sup>2</sup> per gallon

**Dry Time:** Up to 30 min

**Open Time:** 2 hr. maximum



### AVAILABLE SIZES

Item No.	Unit Size	Pkg. Qty.
R1030-1	1 Gallon	4





# Adhesive Cleaners

## 5505 Urethane Adhesive Remover

- Quick and easy adhesive spot removal
- Extremely low odor
- Wipes are biodegradable
- Advanced technology formula

ROBERTS 5505 is a superior cleaner to aid in the removal of fresh and dried adhesive from flooring surfaces and tools. Also available as wipes. VOC: < 500 g/L.

### AVAILABLE SIZES

Item No.	Unit Size	Pkg. Qty.
R5505	24 Ounces	12



## 8000 Flooring Adhesive Remover

- New and improved formula
- Fast-acting concentrate
- Higher coverage rate – Up to 250 ft<sup>2</sup> per gallon (diluted)
- Non-flammable, low odor, VOC and OTC Clean Air Act compliant

ROBERTS 8000 Flooring Adhesive Remover is a concentrated environmentally-friendly formula developed to efficiently and effectively remove floor coverings and adhesives without harsh chemicals. This commercial strength product penetrates the floor covering to break down the adhesive for quick and easy removal. It is also ideal for stripping the toughest latex and acrylic adhesives from flooring surfaces. VOC: < 50 g/L.

### AVAILABLE SIZES

Item No.	Unit Size	Pkg. Qty.
R8000-1	1 Gallon	4



## 8100 Adhesive Remover

- VOC and OTC Clean Air Act compliant
- Professional strength, ready-to-use
- Low odor, non-flammable

ROBERTS 8100 is a VOC and OTC Clean Air Act compliant professional strength cleaner for the speedy removal of most adhesives and carpet seam sealers. VOC: < 45 g/L.

### AVAILABLE SIZES

Item No.	Unit Size	Pkg. Qty.
R8100-24	24 Ounces	12





# TROWELS

## Comfort Grip Trowels



- Rustproof stainless steel blade
- Large, contoured and cushioned grip handles for comfort
- High quality 11" x 4-1/2" trowel designed for the professional
- Durable 230 mm zinc die-cast shank
- Extra handle-to-shank clearance to allow for complete hand rotation
- Longer shank with 9 rivets
- First and last rivet reinforced and welded

No. in case 12  
See chart on P. 52 for available notches

## Wood Handle Trowels



- Hardened and tempered steel blade, grounded and polished for long lasting durability
- Large wooden handle for an easy grip
- Quality trowel measuring 11" x 4-1/2" designed for the professional installer
- Aluminum die-cast shank
- Some notches available in 16" lengths

No. in case 12  
See chart on P. 52 for available notches

## Economy Notched Trowels



- Hard, cold-rolled steel blade for longer wear
- High-impact black plastic handle
- Quality trowel measuring 9" x 4"

No. in case 12 or 30  
See chart on P. 52 for available notches

*made in*  
**USA**

## Wall Base Spreader



- Durable cold-rolled steel blade for applying wall base adhesives
- Conveniently fits into a quart can

10033 Wall Base Spreader - V-Notch 3/16" x 5/32" (24/cs)

## SNOZZLE Adhesive Applicator














- Exclusive design spreads 11 rows of adhesive simultaneously
- Creates a flat, well-bonded installation
- Fits all standard open end caulking guns
- Works with both 11 oz. and 30 oz. cartridges

10-981-25 SNOZZLE Adhesive Applicator (25/cs)

Canada (English/French Packaging)  
10-981 SNOZZLE Adhesive Applicator (25/cs)

*made in*  
**USA**

## For Carpet, Vinyl Sheet, LVT, VCT and Wood


Notch Size	Application	Comfort Grip (11" Blade)	Wood Handle (11" Blade)	Economy
1/16" x 1/16" x 1/16" SQ 	For carpet tile, fiberglass sheet, felt-backed sheet, luxury vinyl tile, plank, and cork underlayment		49768	10125 10-181*
1/16" x 1/16" x 1/16" SQ 	For carpet tile, fiberglass sheet, felt-backed sheet, luxury vinyl tile and plank	10-823 (with 10° blade angle)	10-810 (with 10° blade angle)	
1/8" x 1/8" x 1/8" SQ 	For pre-finished parquet and wall base		49766	
3/32" x 3/32" x 3/32" Flat-Top V 	For smooth backed carpet	10-833 (with 10° blade angle)	10-820 (with 10° blade angle)	
1/8" x 1/8" x 1/16" Flat-Top V 	For secondary-backed carpet, direct glue-down, sheet vinyl installations, and cork underlayment		49737	10137-12
1/16" x 1/32" x 1/32" U 	For VCT, vinyl, luxury vinyl tile and plank	10-829 (with 10° blade angle)	10-816 (with 10° blade angle) 49771	10111-12 10-181*
1/16" x 1/32" x 5/64" U 	For carpet tile, fiberglass sheet, felt-backed sheet, and VCT		49738	10122
1/4" x 1/4" x 1/4" SQ 	For thinset application of ceramic tile 8" x 8" or smaller, laminated wood plank flooring, flat milled solid & shorts or plywood	49915 (QEP)	49713 (QEP)	10113Q (QEP)
1/4" x 1/4" x 1/4" Flat-Top V 	For pre-finished engineered wood plank, solid wood, bamboo and acrylic impregnated plank flooring		49769	10142-12
1/4" x 3/16" Tiger Tooth® 	For bamboo, solid and engineered wood flooring up to 1/2 in. thick		49767	
3/16" x 1/4" x 1/2" Flat-Top V 	For laminated wood plank, solid wood, bamboo and acrylic impregnated plank flooring		49730	

\* Double Sided Trowels

Always check adhesive/mortar manufacturer's trowel recommendations before selecting a trowel notch.

All trowels measure: width x depth x space apart

Recommended notch sizes by NTCA (National Tile Contractors Association)



## Seam Adhesive Dispenser



- Designed to apply seam sealer to the seams of carpet and vinyl flooring
- Use with the "stepped" applicator tip for best results
- Holds up to 8 ounces

1000-8 Seam Adhesive Dispenser (12/cs)



# UNDERLAYMENTS

## Quiet Cushion®




- 2 mm Progressive Foam Technology (PFT) designed for supreme sound reduction
- Extra fine, cross linked foam for advanced moisture protection and shock absorption
- Delta rating of 21 - one of the best in the industry
- Excellent for radiant heat floors, mold and mildew resistant
- Anti-crush technology for excellent performance and long life
- Includes adhesive strip and 3" overlap film
- For use under engineered and laminate flooring

70-180 100 sq. ft. roll - 43.5 in. x 27.5 ft. (12/cs)

IIC Rating*	STC Rating*	Δ Rating*
71	67	21

## First Step Premium 3-in-1



made in  
**USA**

- 2 mm sound-resistant underlayment for use under all laminate and engineered hardwood floating floors
- Excellent moisture resistance
- Reduces ambient noise
- 4" overlap with adhesive strip for installation
- Outstanding compression resistance over time
- For use with below, on and above grade subfloors
- Ideal in condos and multi-level dwellings

70-102-12 100 sq. ft. roll - 40 in. x 30 ft. (12/cs)

70-102-1 630 sq. ft. roll - 40 in. x 189 ft. (1/cs)

IIC Rating*	STC Rating*	R-Value*	Δ Rating*
68	67	0.432	20

## SoundBarricade



- For use under vinyl, laminate or wood flooring
- 1.5 mm rubber foam technology provides superior acoustical properties
- Crush-proof formulation
- Retains cushion and shape through use of recycled tire crumb particles
- Rubber blend inhibits the growth of mold and mildew

70-197 200 sq. ft. roll - 36 in. x 66 ft. (12/cs)

Flooring	IIC Rating*	STC Rating*	R-Value*	Δ Rating*
LVT & Planks	69	63	0.205	25
Laminate & Wood	68	63	0.205	22

## Super Felt®



- Made from 80% recycled fibers, provides deep, rich sound by absorbing noise instead of deflecting it
- Extremely high temperature manufacturing process treats fibers
- Excellent for radiant heat floors, mold and mildew resistant
- 3 mm thick pad corrects minor sub-floor imperfections
- 2 mil thick top film protects from harmful moisture vapor
- Added R-Value to chilly floors
- Includes adhesive strip and 3" overlap film
- For use under engineered wood and laminate flooring

70-190 100 sq. ft. roll - 44 in. x 27.3 ft. (1/cs)

70-193 360 sq. ft. roll - 44 in. x 98 ft. (1/cs)

IIC Rating*	STC Rating*	R-Value*	Δ Rating*
67	66	0.58	21

\* IIC measures sound such as moving furniture and walking, STC measures sound such as voices and television. Minimum sound rating required by most building codes and architects is 50. R-Value is the rating used to measure resistance to heat flow. Δ Delta Rating is the only true measurement of sound reduction from a product (not a floor assembly) in the industry.

## Thermawave™




- Creates an acoustical barrier for laminate, engineered wood and click-lock bamboo flooring
- Thermawave™ design eliminates re-rolling for easier installation
- Aluminum backing provides moisture protection and thermal insulation
- Dense 2 mm foam provides excellent sound reduction and cushions floor
- Mold and mildew resistant

70-177 100 sq. ft. - 43.5 in. x 27.5 ft. (12/cs)  
Includes adhesive strip and 3" overlap film  
Only available in Canada

IIC Rating*	STC Rating*
69	65

## Black Jack®




- 2.5 mm thick foam provides optimal floor cushion
- Reduces surface noise as well as sound transference between floors
- Dense closed-cell structure provides high moisture resistance
- Mold and mildew resistant
- For use with below, on and above grade uses under laminate and engineered wood flooring
- Includes overlap and adhesive strip to seal out moisture and join multiple rolls

70-026 100 sq. ft. roll - 43 in. x 28 ft. (12/cs)  
70-026-XL 600 sq. ft. roll - 43 in. x 167.5 ft. (2/cs)

IIC Rating*	STC Rating*	Δ Rating*
70	66	21

## Soft Stride®



- 2 mm dense foam provides excellent sound reduction under engineered and laminate flooring
- Closed cell foam for excellent moisture protection
- Excellent for radiant heat floors, mold and mildew resistant
- Anti-crush technology for excellent performance and long life
- Includes adhesive strip and 3" overlap film

70-185 100 sq. ft. roll - 43.5 in. x 27.5 ft. (12/cs)

IIC Rating*	STC Rating*	Δ Rating*
69	66	21

## Unison® 2-in-1



- For laminate and engineered wood flooring
- 3/32" polyethylene foam increases cushioning between flooring and subfloor
- 4" film overlap with adhesive strip for seamless protection
- Top film protects from harmful moisture vapor

70-025 100 sq. ft. roll - 48 in. x 25 ft. (12/cs)

Roberts Canada (English/French Packaging)  
70-025-C 100 sq. ft. roll - 48 in. x 25 ft. (12/cs)

IIC Rating*	STC Rating*	R-Value*
61	54	0.29

made in  
**USA**

\* IIC measures sound such as moving furniture and walking, STC measures sound such as voices and television. Minimum sound rating required by most building codes and architects is 50. R-Value is the rating used to measure resistance to heat flow. Δ Delta Rating is the only true measurement of sound reduction from a product (not a floor assembly) in the industry.

## Serenity Foam



- 3/32" polyethylene foam underlayment for laminate and engineered wood flooring
- Ideal for above grade uses
- Corrects minor subfloor imperfections

70-010      100 sq. ft. roll - 48 in. x 25 ft. (60/cs)  
 70-010-XL      400 sq. ft. roll - 49 in. x 100 ft. (1/cs)

## MAXXIM SIM-40



- 40 mil composite underlayment
- Crack Isolation eliminates transmission of cracks up to 3/8" from subfloor to finished floor
- Moisture vapor barrier 5 lb./1000 sq. ft. (24 hour CaCl Test)
- Easy and fast to install
- Ready for tiling immediately after installation

SIM40      225 sq. ft. roll, 36" x 75'

## MSC90 - Mega Sound Control



- 90 mil composite underlayment
- Crack Isolation eliminates transmission of cracks up to 3/8" from subfloor to finished floor
- Moisture vapor barrier 5 lb./1000 sq. ft. (24 hour CaCl Test)
- ATSM tested to reduce impact and ambient sound transmission
- Easy and fast to install
- Ready for tiling immediately after installation

LMSC90      100 sq. ft. roll, 36" x 33 1/3'

IIC Rating*	STC Rating*
68	72

## Underlayment Seam Tape



- For joining underlayment, carpet padding, packing and sealing
- Multipurpose and general repair
- Moisture resistant

50-040      Underlayment Seam Tape - (12/cs)  
 1-7/8" x 100' roll

⚠ WARNING: Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).  
 See P. 65. \*Prop 65 - 1.

\* IIC measures sound such as moving furniture and walking, STC measures sound such as voices and television. Minimum sound rating required by most building codes and architects is 50. R-Value is the rating used to measure resistance to heat flow. Δ Delta Rating is the only true measurement of sound reduction from a product (not a floor assembly) in the industry.



## Cork Plus



- Reduces sound transmission from floor while walking
- Acts as a crack isolation membrane to prevent subfloor cracks from reaching floor surface
- Increases effectiveness of floor heating systems by reducing thermal transmission
- EVA blended cork provides superior flexibility to standard cork underlayments
- Each sheet: 2' x 3'

**Cork Plus Sheets (2' x 3')**  
 72019 1/4" (6 mm) EVA Cork Sheets - 30 sq. ft./pk, (5 sh/pk)

**Cork Plus Rolls**  
 72002 1/4" (6 mm) EVA Cork Roll - 200 sq. ft. roll, 48" x 50' (1/cs)

Test Results	IIC Rating	STC Rating	Δ Rating*
With 6" cement slab	52	51	22
With 6" cement slab & suspended ceiling	63	61	22



## Natural Cork



- Reduces sound transmission from both the surface of a floor as well as through the floor to living spaces below
- Use under ceramic tile, stone, marble, engineered hardwood and laminate floors
- Acts as a crack isolation membrane that resists transfer of stress cracks from subfloor through to flooring surfaces
- Reduces thermal transmission, increasing the effectiveness of floor heating systems

**Natural Cork Sheets (2' x 3')**  
 70-175 1/4" (6 mm) Sheets - 300 sq. ft./pk, (50 sh/pk)

**Natural Cork Rolls**  
 72000Q 1/4" (6 mm) Natural Cork Roll - 200 sq. ft. roll, 48" x 50' (1/cs)  
 72001Q 1/2" (12 mm) Natural Cork Roll - 150 sq. ft (25 sh/pk) 150 sq. ft / case

Test Results (6 mm)	IIC Rating	STC Rating	Δ Rating*
With 6" cement slab	51	52	22
With 6" cement slab & suspended ceiling	61	60	22



\* IIC measures sound such as moving furniture and walking, STC measures sound such as voices and television. Minimum sound rating required by most building codes and architects is 50. R-Value is the rating used to measure resistance to heat flow. Δ Delta Rating is the only true measurement of sound reduction from a product (not a floor assembly) in the industry.

## Moisture Barricade



- Use with standard foam underlayments to protect against moisture
- 6 mil. thick polyethylene film for long life
- Roll unfolds to cover an extra large 10 ft. x 12 ft. area
- Includes adhesive strip

70-115 120 sq. ft. sheet - 10 ft. x 12 ft. (12/cs)

## Silicone Moisture Barrier



- Recommended for staple and nail down installations of solid and engineered wood floors
- Reduces vapor flow without trapping moisture
- Helps reduce dust and noise levels
- Meets perm ratings recommended by the National Wood Flooring Association
- Can be used with radiant heat systems - no asphalt odor

70-198 200 sq. ft. roll, 33.5 in. x 72 ft. (6/cs)

## Aquabar® "B" Moisture Vapor Barrier



- Sub-floor barrier helps prevent buckling, cupping and cracking
- Ideal for interior installations of: ceramic, porcelain or stone over cement board, plywood or concrete; and, finished or unfinished wood floors over plywood or concrete

70-195 500 sq. ft. roll - 36 in. x 167 ft. (1/cs)

## Waxed Paper Roll



- 30-lb. heavy duty Kraft paper waxed on both sides for use with hardwood or engineered nail-down installations
- Use as a barrier between wood subfloor and new floor on above grade installations
- Helps in reducing squeaks in plywood subfloors
- Use to slide boards into place with ease

70-120 750 sq. ft. roll - 36 in. x 250 ft. (1/cs)



**TAPE**

## Max Grip® Vinyl Floor Installation Tape



- For the permanent installation of vinyl flooring, wall base, stairs and treads and vinyl trim
- Will adhere to any clean and dry subflooring (concrete, wood, etc)
- Perfect for modified loose lay vinyl sheet flooring installation
- Aggressive, acrylic adhesive with reinforced scrim webbing for extra strength
- Great for flooring repairs

50-540 Vinyl Installation Tape - 1-7/8" x 50' (12/cs)

## Max Grip® Carpet Installation Tape



- For the permanent installation of carpet, moldings and trim
- Aggressive, acrylic adhesive with reinforced scrim webbing for extra strength
- Works on indoor and outdoor installations
- Ideal for stairs and treads

50-550 Max Grip Carpet Installation Tape - 1-7/8" x 75' (12/cs)

50-560 Max Grip Carpet Adhesive Strip - 1" x 164' roll (6/cs)

50-565 Max Grip Carpet Adhesive Strip - 3" x 164' roll (3/cs)


## Rug Traction™ Anti-Slip Rubber Tape



- Specially designed non-slip strip for holding rugs and mats in place
- One side attaches permanently to the rug and the other side provides a non-slip surface for additional traction
- Easy to apply and requires no clean up

50-545 Rug Traction™ Anti-Slip - 2-1/2" x 25'  
 Individually Boxed (12/cs)


## Duct Tape



- Great for general repairs, projects, packing, seaming and sealing
- Easily tears by hand
- Conforms easily to uneven surfaces

50-555 Duct Tape - 1-7/8" x 60 yds, Individually Packaged (36/cs)

## Rug Gripper™



made in USA

- Holds rugs and mats in place on all floor surfaces
- Safe for all floor surfaces, including carpet
- Removable, repositionable

50-580 Rug Gripper™ Roll (for small rugs) - 2-1/2" x 25' roll (6/cs)  
 50-588 Rug Gripper™ Roll - 3" x 60' roll (6/cs)

## Stay 'N' Place™



- Holds accent rugs and mats up to 3' x 5' in place
- High holding power for hard surfaces
- Removable, repositionable

50-547 Stay 'N' Place™ - 4" x 4" Tabs (24/cs)

## Tread Tape



- Anti-slip safety strip
- Extra traction on stairs, ramps, loading docks and ladders
- Coarse, grit sandpaper surface provides traction to prevent slipping and falling

50-585 Tread Tape Roll - 2" x 15' (6/cs)

## Underlayment Seam Tape



- For joining underlayment, carpet padding, packing and sealing
- Multipurpose and general repair
- Moisture resistant

50-040 Underlayment Seam Tape - 1-7/8" x 100' roll (12/cs)

⚠WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov. See P. 65. \*Prop 65 - 1.

## Filament Tape



- General purpose, clear fiberglass-reinforced tape with a synthetic rubber resin adhesive
- Ideal for light duty strapping, wrapping and strengthening
- Provides good adhesion on fiberboard surfaces, plastics and metal surfaces

50-050 Filament Tape - 5/8" x 150' roll (12/cs)



**TEAR-OUT**

## Pro Carpet Knee Pads



- Padded upper strap specifically designed to be used during knee kicking
- Soft, non-pinching straps
- Wide straps that hold knee pads in place
- A must-have for any installer

79034 Pro Carpet Knee Pads (6/cs)

## Hard Cap Knee Pads



- Hard cap glides easily on soft flooring
- Nylon fabric with foam cushion
- Adjustable Velcro® straps

79023-6 Hard Cap Knee Pads (6/cs)

## 20 oz. Ripping Hammer



- Sturdy, quality hickory construction
- Long straight claw is ideal for pulling up old tack strip
- 20 oz. head
- Contoured handle provides optimal strength while minimizing impact shock
- 14" long

10-114 20 oz. Ripping Hammer (6/cs)

## Carpet Puller



- Unique design provides maximum pulling power
- Serrated clamps provide firm carpet grip, great for removing carpet
- Large comfortable handle
- Die-cast aluminum

10-10 Carpet Puller (2/cs)

⚠WARNING: Cancer - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov). See P. 65, \*Prop 65 - 2.

## Pro Mini Pry Bar



- Perfect angles provide ideal leverage for removing base molding and tack strip
- New deep bevel nail slot for easy nail removal
- Constructed from high carbon forged steel with bright nickel plating
- 10-1/2" long

10-503 Pro Mini Pry Bar (3/cs)

## Pro Floor & Wall Scraper



- Ball cap fits in the palm of your hand for comfortable scraping
- Provides less user fatigue for tough jobs
- Use in a variety of wall and floor stripping applications
- Heavy duty construction for tough, stubborn glue removal

10-188 Pro 4" Floor/Wall Scraper - 18" handle (6/cs)  
 10-442-10 4" Floor/Wall Scraper Replacement Blade (10 pcs.) (10/cs)

## Floor & Wall Scraper



- Tool-less, easy blade change
- Built-in screwdriver in handle
- Change blades in a matter of seconds
- Use in a variety of wall and floor stripping applications
- Convenient and easy 5 blades in handle with storage tube

10-187 Floor/Wall Scraper (12/cs)  
 10-442-10 4" Floor/Wall Scraper Replacement Blade (10 pcs.) (10/cs)

## Floor & Wall Scrapers



- Angled head provides "clean shaving" cutting action, perfect for stripping floors, walls and wallpaper
- Features three blade clamp screws for maximum blade holding power and flex-grip anti-fatigue vinyl hand grip

10-194 4" Floor/Wall Scraper - 12" handle (10/cs)  
 10-294 4" Floor/Wall Scraper - 18" handle (10/cs)  
 10-442-10 4" Floor/Wall Scraper Replacement Blade (10 pcs) (10/cs)

## Stand-Up Scraper



- Professional stand-up scraper
- Steel shank molded into head, welded to steel handle
- Deluxe cushioned grip handle, adjustable from 3' to 6'
- Sturdy construction with an 8" hardened steel blade and locking cam
- Features a 15° angled head

10-296 Stand-Up Scraper (6/cs)  
 10-458 8" Floor/Wall Scraper Replacement Blades  
 (10 blades) (10/cs)

## Heavy Duty 6" Convertible Scraper



- Dependable heavy duty scraper easily converts to a stand-up scraper with the addition of a stretcher extension tube (sold separately)
- "Action lock" handle adjusts 360° to any position
- Comfortable molded handle maximizes thrust and conserves energy
- Includes a 6" hardened steel blade, heavy duty cast aluminum scraper head and a hardened steel locking cam
- Add 3' stretcher extension tubes to achieve desired length

10-195 Heavy Duty 6" Convertible Scraper (1/cs)  
 10-195-01 6" Hardened Steel Replacement Blade (1/cs)  
 10-230-10 3' Steel Stretcher Tube (1/cs)



## 4" Floor/Wall Scraper Blades

### ROBERTS



made in  
**USA**

- Fits ROBERTS® 10-187, 10-188, 10-194, 10-294 Floor Scraper and all standard 4" scrapers
- Precision ground high speed carbon steel blade for professional installers
- Increased sharpness & durability

Blade Specifications: 4 in. long x .015 in. thick

10-442-10 10 Blade Blister Card (10 cards/case) (100 blades)

## 8" Floor/Wall Scraper Blades

### ROBERTS



made in  
**USA**

- Fits ROBERTS® 10-296 Stand-Up Scraper, and all standard 8" scrapers
- Precision ground high speed carbon steel blade for professional installers
- Increased sharpness & durability

Blade Specifications: 8" long x 0.74" wide x .035" thick

10-458 10 Blade Tube (1 tube) (10 blades)

\* For Replacement Knife Blades, see page 21. For Replacement Floor Cutter Blades, see page 34.

## About California Proposition 65

Proposition 65 is a California regulatory law that requires businesses to notify California consumers about specific chemicals in the products they purchase so they can make informed decisions about protecting themselves from exposure to these chemicals. This law requires companies to properly label products that contain chemical(s) above certain threshold levels.

As part of Q.E.P. Co. Inc.'s continued best business practice and compliance program, we comply with Proposition 65 warning requirements and provide product-associated warnings. We are dedicated to meeting consumer product safety requirements applicable to our products and strive to provide high quality and safe products.

**For more information on California Proposition 65, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).**

- \*Prop 65 - 1. **⚠️WARNING:** This product can expose you to chemicals including DEHP, which is known to the State of California to cause cancer, birth defects and other reproductive harm.
- \*Prop 65 - 2. **⚠️WARNING:** This product can expose you to chemicals including Lead, which is known to the State of California to cause cancer, birth defects and other reproductive harm.
- \*Prop 65 - 3. **⚠️WARNING:** This product can expose you to chemicals including Nickel (Metallic), which is known to the State of California to cause cancer.
- \*Prop 65 - 4. **⚠️WARNING:** This product can expose you to chemicals including Lead and DEHP which is known to the State of California to cause cancer, birth defects or other reproductive harm.
- \*Prop 65 - 5. **⚠️WARNING:** This product can expose you to chemicals including Quartz and Styrene, which are known to the State of California to cause cancer and Methanol, which is known to the State of California to cause birth defects or other reproductive harm.
- \*Prop 65 - 6. **⚠️WARNING:** This product can expose you to chemicals including Silicia (crystalline, respirable) and Diisodecyl Phthalates which are known to the state of California to cause cancer, and birth defects or other reproductive harm.

Roberts®, AirGuard®, Cool Shield®, the e® logo, Golden Touch®, Max Grip®, Quiet Cushion®, Soft Stride®, Super Felt®, Tiger Tooth®, Black Jack Floating Floor Underlayment®, Unison® and GoldGuard® are registered trademarks of Roberts Consolidated Industries, Inc.

Suspend-It® is a registered trademarks of Q.E.P. Co., Inc.

Aquabar® "B" is a registered trademark of Fortifiber, LLC.

DUO-FAST® is a registered trademark of Illinois Tool Works Inc.

Rug Gripper™ is a trademark of Optimum Technologies, Inc.

VELCRO® is a registered trademark of Velcro B.V.B.A.

CRI™ and CRI Green Label +Plus® is a registered trademark of The Carpet and Rug Institute.

LEED® and its related logo, is a trademark owned by the U.S. Green Building Council® and is used with permission.





































ActionBac® is a registered trademark of Propex Operating Company, LLC

Enhancer™ is a trademark of The Dow Chemical Company

SoftBac® is a registered trademark of Shaw Industries, Inc.

The products, specifications, and Prop 65 Warnings listed in this catalog are current as of the printed date of this catalog and are subject to change. Access product data sheets, technical bulletins, warranties and SDS documents 24 hours a day, 7 days a week through our continuously updated website.



# ADHESIVE REFERENCE CHART

			CARPET											RESILIENT										WOOD						
			Polypropylene (ActionBac)	Jute	Hot Melt	Enhancer (Urethane Foam)	Latex Unitary	Needle Punch	Woven Interlock	Vinyl-Backed Carpet/Carpet Tile	Closed Cell Urethane	Double-Bond Method (Carpet-to-Cushion)	Double-Bond Method (Cushion-to-Floor)	Vinyl Composition Tile (VCT)	Sheet Goods (Felt/Mineral Backed)	Sheet Goods (Solid Vinyl/Homogeneous/Heterogeneous)	Sheet Goods (Fiberglass)	Luxury Vinyl Tile (Up to 12" x 12")	Luxury Vinyl Tile/Plank (Large Format, > 12" x 12")	Vinyl/Rubber (TPR) Cove Base	Rigid Core (LifeSpan)	Rubber-synthetic/Virgin Rubber Underlayment (Sheet, Tile, Plank)	Rubber sports flooring	Recycled Rubber Flooring	Engineered Wood Plank	Parquet (Non-Foam Backed)	Floating Wood (Tongue & Groove)	Solid Plank/Parquet/Exotics (Bamboo, Cork, Teak)		
MULTIPURPOSE	  3300 	BEST	BEST	BEST	GOOD	BEST	BEST	BEST	N/A	BETTER	BEST	BEST	N/A	BEST	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	  3085	BETTER	BETTER	BETTER	GOOD	BETTER	BETTER	BETTER	N/A	GOOD	N/A	N/A	N/A	BETTER	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	  3000	GOOD	GOOD	N/A	N/A	GOOD	N/A	GOOD	N/A	N/A	N/A	N/A	N/A	N/A	GOOD	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
CARPET	  3095 	BEST	BEST	BEST	BEST	BEST	BEST	BEST	N/A	BEST	BEST	BEST	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	  3500	GOOD	GOOD	N/A	GOOD	GOOD	N/A	GOOD	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	  6700	BEST	BEST	BEST	GOOD	BEST	BEST	BEST	N/A	GOOD	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
RESILIENT	 7399	N/A	N/A	N/A	N/A	N/A	N/A	N/A	BEST	N/A	N/A	N/A	BETTER	BEST	BEST	BEST	BEST	BEST	N/A	BETTER	GOOD	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	  7350 	N/A	N/A	N/A	N/A	N/A	N/A	N/A	BEST	N/A	N/A	N/A	BETTER	BEST	BEST	BEST	BEST	BEST	N/A	BETTER	GOOD	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	  2350 	N/A	N/A	N/A	N/A	N/A	N/A	N/A	BETTER	N/A	N/A	N/A	N/A	BETTER	BEST	BETTER	BETTER	N/A	N/A	BETTER	N/A	GOOD	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	  2310	N/A	N/A	N/A	N/A	N/A	N/A	N/A	GOOD	N/A	N/A	N/A	N/A	BETTER	BEST	BETTER	GOOD	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	  2001	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	BEST	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	  2057 	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	BEST	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	  7200	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	BEST	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
WOOD	 1650	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	BEST	N/A	BEST	BEST	N/A	N/A	N/A	
	 1550	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	BETTER	N/A	BETTER	BETTER	N/A	N/A	N/A	
	 1530	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	BETTER	N/A	BETTER	BETTER	N/A	N/A	N/A	
	 1407	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	GOOD	GOOD	N/A	N/A	N/A
	 8600	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	 1406	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	GOOD	BEST	N/A

See our Catalog online at [www.robertsconsolidated.com](http://www.robertsconsolidated.com) and [qep.com](http://qep.com)  
for a complete listing of our Carpet, Tile, Stone, Laminate, Wood and Vinyl Installation Tools and Accessories.

# KEY MILESTONES

- 1938:** ROBERTS® is founded.
- 1949:** ROBERTS® filed first Carpet Stretching Device patent (Today's kicker)
- 1951:** ROBERTS® filed for Carpet Anchor patent (Today's SmoothEdge Carpet Stripper).
- 1959:** ROBERTS® expanded into chemical-base products.
- 1963:** ROBERTS® becomes an incorporated company
- 1981:** ROBERTS® Hot-Melt Carpet Seaming Tape is introduced and marketed worldwide
- 1997:** QEP acquires ROBERTS® Consolidated Industries.



Generations of installers have grown up with ROBERTS®, a name that has become synonymous with quality flooring solutions for professional installers.



# WORLD CLASS WORLDWIDE



1001 Broken Sound Parkway, NW | Suite A  
Boca Raton, Florida 33487

For more information call 866-435-8665  
Se habla español



[www.robertsconsolidated.com](http://www.robertsconsolidated.com)

H3122-11871  
Reorder # ROBT00L2020