



SECTION 1: Identification and Company Details

Product Name: ROBERTS Wood, Laminate & Vinyl Putty
Product Code: PC7725 Brown, PC7726 Light, PC7727 Light Red, PC7728 Grey, PC7729 Gold Tones, PC7730 Tan, PC7731 Dark Red, PC7732 Dark Brown, PC7733 Light Gray

Manufacturer/ Supplier: Roberts Consolidated Industries, Inc.
Address: 300 Cross Plains Blvd.
Dalton, GA 30721

Emergency Phone: (800) 424-9300 (24-hour Response / CHEMTREC)
Product Information: (706) 277-5294

Recommended Use: To replenish and repair cracks, holes and wood trim.

SECTION 2: Hazard(s) Identification

Classification of the substance or mixture: None

Hazard statement(s): This product is not a hazardous material.

Precautionary Statement(s)

Prevention: Wear protective gloves, protective clothing, eye and face protection.

Response: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing.

Storage: Not applicable.

Disposal: Dispose of contents/container in accordance with local, regional/or international regulations in force.

Other hazards: Not applicable.

See toxicology information, section 11

SECTION 3: Composition / Information on Ingredients

	<u>Weight %</u>	<u>CAS #</u>
Quartz	0.19% - 0.21%	14808-60-7

SECTION 4: First-Aid Measures

Inhalation: Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt, or waistband.

Skin Contact: In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get

medical attention immediately.

Eye Contact: Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.

Ingestion: Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.

Note to Physician: No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

SECTION 5: Fire-Fighting Measures

Extinguishing Media: Use dry chemical, CO₂, water spray (fog) or foam.

Hazardous Combustion Products: Carbon monoxide and dioxide. Calcium oxides.

Protection of Firefighters: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

SECTION 6: Accidental Release Measures

Personal Precautions: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).

Environmental Precautions: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air.)

Methods of Clean-up: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Use spark-proof tools and explosion proof equipment. Dispose of via a licensed waste disposal contractor.

SECTION 7: Handling and Storage

Handling Precautions: Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Avoid exposure - obtain special instructions before use. Avoid contact with eyes, skin and clothing. Do not ingest. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Storage: Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

SECTION 8: Exposure Control / Personal Protection

Exposure Guidelines: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Engineering Controls: Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

Personal Protective Equipment:

Skin Protection – Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. Wear protective clothing with long sleeves and appropriate safety shoes at all times.

Eye/Face Protection – DO NOT WEAR CONTACT LENSES. Wear anti-splash safety goggles.

<u>Chemical Name / CAS No.</u>	<u>OSHA Exposure Limits</u>	<u>ACGIH Exposure Limits</u>	<u>Other Exposure Limits</u>
Quartz/14808-60-7	Not Established	0.025mg/m3 (respirable fraction)	NIOSH: 0.05 mg/m3 TWA (respirable dust)

SECTION 9: Physical and Chemical Properties

- Appearance:** Paste (viscous liquid)
- Odor:** Acrylic
- Relative Density:** 1,700-1,850 kg/L at 20°C (water = 1)
- Odor Threshold:** Not available
- Solubility:** Soluble in water
- pH:** 8.0 - 8.5
- Partition Coefficient:** Not available
- Melting Point:** Not available
- Freezing Point:** Not available
- Auto-ignition Temperature:** Not applicable
- Flash Point:** Not applicable
- Decomposition Temperature:** Not available
- Evaporation Rate:** <1 (ether = 1)
- Viscosity:** >20.5 mm²/s (at 40°C)
- Flammability (Solid/Gas):** Not applicable
- Upper/Lower Flammability:** Not applicable
- VOC Content:** <50 g/L
- Vapor Pressure:** Not available
- Boiling Point:** >100°C (212°F)

SECTION 10: Stability and Reactivity

- Chemical Stability:** The product is chemically stable under normal conditions of use.
- Conditions to Avoid:** Keep away from incompatibles.
- Materials to Avoid:** None known.

SECTION 11: Toxicological Information

- Mixture Toxicity:** Not determined
- Acute toxicity:**
 - Ingestion:** LD₅₀ >2000 mg/kg
 - Inhalation:** Dusts-mist LC₅₀ >5,00 mg/l
 - Skin Contact:** LD₅₀ >5000 mg/kg

	<u>Weight %</u>	<u>CAS #</u>
Quartz	0.19% - 0.21%	14808-60-7

SECTION 12: Ecological Information

Mobility and Bioaccumulation Potential: Not determined
Degradation: Not determined
Aquatic Toxicity: No known adverse effect on aquatic life.
LC50 – 24 hour (Static): Not determined
Component Ecotoxicity: Not applicable

SECTION 13: Disposal Considerations

Disposal: The generation of waste should be avoided or minimized wherever possible. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority.

Wastes or Residues: Same as above.

SECTION 14: Transport Information

Road: DOT Proper Shipping Name: **Non-Regulated**
DOT Packing Group: N/A
DOT Label: N/A
UN Number: N/A

Ocean: Proper Shipping Name: **Non-Regulated**
Sea – IMO/IMDG Class: N/A
UN Number: N/A
Label: N/A
Packing Group: N/A
Marine Pollutant: N/A
EMS: N/A

Air: Proper Shipping Name: **Non-Regulated**
Air – ICAO/IATA Class: N/A
UN Number: N/A
Label: N/A
Sub Class: N/A
Packing Group: N/A
Pack Instr. Passenger: N/A
Pack Instr. Cargo: N/A

SECTION 15: Regulatory Information

Status on Substance Lists: The concentrations shown in this document are maximum levels (weight %) to be used for regulations.

TSCA: The components of this product are contained on the chemical substance inventory list
IARC: Not carcinogenic
OSHA PEL's None

Federal EPA: Comprehensive Environmental Response, Compensation and Liability Act of 1980 (CERCLA): Requires notification of the national response center of release of quantities of hazardous substances equal to or greater than the reportable quantities (RQ's) in 40 CFR 302.4. Components present in this product at level which could require reporting under the statute are:

Chemical Name	CAS Number	% by Weight	RQ
---------------	------------	-------------	----

None None None None

Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III: Sections 301-304 require emergency planning based on Threshold Planning Quantities (TPQs) and release reporting based on Reportable Quantities (RQ) in 40 CFR 355. Components present in this product at level which could require reporting under this statute are:

Chemical Name	CAS Number	% by Weight	RQ
None	None	None	None

Section 311-312 require products be reviewed and applicable EPA Hazard Definitions be identified and made known- **None**

NJ RTK

1408-60-7 Quartz

Pennsylvania RTK

1408-60-7 Quartz

SARA 302 Extremely Hazardous Substances - None

Massachusetts RTK

1408-60-7 Quartz

EPA Hazard Classifications:

Acute Hazard	Chronic Hazard	Fire Hazard	Pressure Hazard	Reactive Hazard
No	No	No	No	No

Section 313 requires submission of annual reports of release of toxic chemicals that appear in 40 CFR 372 (for SARA 313). This information must be included in all SDSs that are distributed for this material. Components present in this product at level which could require reporting under the statute are: **None**

Canada DSL: All components are on the DSL list or exempt.

California Proposition 65: Does not contain any listed chemical to the best of our knowledge.

SECTION 16: Other Information

This Safety Data Sheet is prepared to comply with the United States Occupational Safety and Health Administration (OSHA) Hazard Communication Standard (29 CFR 1910.1200).

Prepared by: Q.E.P. Co., Inc. Safety & Regulatory Compliance Group, (706) 277-5294

The information herein is given in good faith, but no warranty expressed or implied is made. Roberts Consolidated urges users of this product to evaluate its suitability and compliance with local regulations as Roberts Consolidated cannot foresee the final use of the product, nor the final location of usage.

Date of issue: 05/13/2024

